



SHERWIN-WILLIAMS.



Auto Dealership and Service Facility Guide Specification

This Painting Schedule is furnished as a guide to select paint systems, and is not all-inclusive of available Sherwin-Williams products. Specifiers should review the contents and edit to suit the particular project and its location.

The schedule is arranged by substrates, and offers latex, acrylic, water-based epoxy, and water-based urethane. Each type also includes the available sheens.

Local and National V.O.C. (Volatile Organic Compound) regulations have been taken into consideration. However, because regulations vary by region and frequently change, specifiers should verify that the products comply with local rules. Consult with your Sherwin-Williams representative before finalizing the selection.

If you need additional product information, contact your Sherwin-Williams representative, refer to the Sherwin-Williams Painting Systems Catalog, visit sherwin-williams.com or call our Architectural Services Answer Team.

The Sherwin-Williams Company
Architectural Services Department
800-321-8194 (Telephone)
216-566-1392 (Fax)
specifications@sherwin.com (Email)

**09 91 23 INTERIOR &
09 91 13 EXTERIOR**

Issued July 2015

The Sherwin-Williams Company

Download this document at
www.swspecs.com



Table of Contents

INTERIOR SYSTEMS:

Important Surface Prep Instructions: **Page 3**

Interior Topcoats: **Page 3**

Miscellaneous Notes: **Page 4**

Lobby/Common Area: **Pages 5 – 7**

CMU — Concrete Masonry Units

Gypsum Board — Walls

Gypsum Board — Ceilings and Soffits

Wood — Painted Doors, Frames, Trim and Chair Rails

Wood — Stained Doors, Frames, Trim and Chair Rails

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Ferrous Metal — High Performance Finish (Including Handrails)

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Metal — Steel Roof Deck, Structural Steel, Joists, Trusses, Beams

CMU — Concrete Masonry Units

Masonry and Concrete — Ceilings and Soffits

Showroom: **Pages 8 – 9**

Gypsum Board — Walls

Gypsum Board — Ceilings and Soffits

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Ferrous Metal — High Performance Finish (Including Handrails)

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Break Room/Bathroom/Customer Waiting Area: **Pages 9 – 10**

Gypsum Board — Walls

Gypsum Board — Ceilings and Soffits

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Ferrous Metal — High Performance Finish (Including Handrails)

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Metal — Steel Roof Deck, Structural Steel, Joists, Trusses, Beams

Auto Parts Warehouse/Distribution: **Page 11**

Non-Ferrous Decking

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Ferrous Metal — High Performance Finish (Including Handrails)

Car Wash Bays/Service Bays Room & Boiler Room/Maintenance Office: **Page 11 – 12**

Masonry and Concrete — Walls

Masonry and Concrete — Ceilings

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Ferrous Metal — High Performance Finish (Including Handrails)

Concrete Floors — Pigmented & Decorative: **Page 13**

Light Duty (Foot Traffic)

Medium/Heavy Duty (Kitchen Areas, Food Service, Restrooms, Corridors)

Table of Contents

EXTERIOR SYSTEMS:

Exterior Concrete/Masonry Areas (Smooth):	Page 14
Exterior CMU and Block Areas (Porous):	Pages 14 – 15
Exterior Ferrous Metals:	Page 15
Exterior Non-Ferrous Metals:	Page 15
Exterior Wood:	Page 16
Exterior EIFS:	Page 16

Auto Dealership Facility Interior Paint Schedule

Important Surface Preparation Instructions:

Verify the existence of lead based paints on the project. Buildings constructed after 1978 are less likely to contain lead based paints. If lead based paints are suspected on the project, all removal must be done in accordance with the EPA Renovation, Repair and Painting Rule and all applicable state and local regulations. State and local regulations may be more strict than those set under the federal regulations. Verify that Owner has completed a Hazardous Material Assessment Report for the project prior to issuing of Drawings.

WARNING! Removal of old paint by sanding, scraping or other means may generate dust or fumes that contain lead. Exposure to lead dust or fumes may cause brain damage or other adverse health effects, especially in children or pregnant women. Controlling exposure to lead or other hazardous substances requires the use of proper protective equipment, such as a properly fitted respirator (NIOSH approved) and proper containment and cleanup. For more information, call the National Lead Information Center at 1-800-424-LEAD (in US) or contact your local health authority. Removal must be done in accordance with EPA Renovation, Repair and Painting Rule and all related state and local regulations. Care should be taken to follow all state and local regulations which may be more strict than those set under the federal RRP Rule.

Specifier Notes — Topcoats:

- a. **ProMar® 200 Zero VOC Interior Latex** — A durable, professional quality zero VOC vinyl acrylic topcoat available in a Flat, Low Sheen, Eg-Shel, and Semi-Gloss finish.
- b. **Pro Industrial™ Pre-Catalyzed Waterbased Epoxy** — A single component, waterbased acrylic epoxy that offers the durability and resistance to stains and most cleaning solvents usually characteristic of two-component waterbased epoxies. Available in an Eg-Shel and Semi-Gloss finish.
- c. **Pro Industrial™ Water Based Catalyzed Epoxy** — A two-component, water-based epoxy formulated to provide excellent corrosion resistance, chemical resistance, abrasion resistance, and moisture resistance. Available in an Eg-Shel and Gloss finish.
- d. **Pro Industrial™ Acrylic Coating** — A single component, light industrial, 100% acrylic coating that flows and levels to a smooth finish. Available in an Eg-Shel, Semi-Gloss, and Gloss finish.
- e. **Pro Industrial™ Multi-Surface Acrylic** — An interior and exterior waterborne acrylic for use on marginally prepared metal or masonry surfaces. Fast drying, easy application with dryfall properties. Available in an Eg-Shel and Gloss finish.
- f. **Pro Industrial™ Waterborne Acrylic Dryfall** — A dryfall for use on exposed ceilings and overhead surfaces in commercial, warehouse and manufacturing facilities. Available in a Flat, Eg-Shel, and Semi-Gloss finish.

Recommended Finishes:

Ceilings and Soffits: Flat Finish
Walls: Eg-Shel or Semi-Gloss Finish

Miscellaneous Notes:

SURFACE PREPARATION:

- A. Proper product selection, surface preparation, and application affect coating performance. Coating integrity and service life will be reduced because of improperly prepared surfaces. Selection and implementation of proper surface preparation ensures coating adhesion to the substrate and prolongs the service life of the coating system.
- B. Selection of the proper method of surface preparation depends on the substrate, the environment, and the expected service life of the coating system. Economics, surface contamination, and the effect on the substrate will also influence the selection of surface preparation methods.
- C. The surface must be dry and in sound condition. Remove oil, dust, dirt, loose rust, peeling paint or other contamination to ensure good adhesion.
- D. Remove mildew before painting by washing with a solution of 1 part liquid household bleach and 3 parts of warm water. Apply the solution and scrub the mildewed area. Allow the solution to remain on the surface for 10 minutes. Rinse thoroughly with clean water and allow the surface to dry 48 hours before painting. Wear protective glasses or goggles, waterproof gloves, and protective clothing. Quickly wash off any of the mixture that comes in contact with your skin. Do not add detergents or ammonia to the bleach/water solution.
- E. Previously Coated Surfaces: maintenance painting will frequently not permit or require complete removal of all old coatings prior to repainting. However, all surface contamination such as oil, grease, loose paint, mill scale, dirt, foreign matter, rust, mold, mildew, mortar, efflorescence, and sealers must be removed to assure sound bonding to the tightly adhering old paint. Glossy surfaces of old paint films must be clean and dull before repainting. Thorough washing with an abrasive cleanser will clean and dull in one operation, or, wash thoroughly and dull by sanding. Spot prime any bare areas with an appropriate primer. Recognize that any surface preparation short of total removal of the old coating may compromise the service length of the system. Check for compatibility by applying a test patch of the recommended coating system, covering at least 2 to 3 square feet. Allow to dry one week before testing adhesion per ASTM D3359. If the coating system is incompatible, complete removal is required per ASTM D4259.
- F. No exterior painting should be done immediately after a rain, during foggy weather, when rain is predicted, or when the temperature is below 50°F, unless products are designed specifically for these conditions. On large expanses of metal siding, the air, surface and material temperatures must be 50°F or higher to use low temperature products.
- G. This schedule is not inclusive of all Sherwin-Williams products; other products and finishes are available.
- H. Not all products are compliant nationwide, visit related websites for CARB, OTC, SCAQMD for current VOC regulations.
 - CARB — <http://www.arb.ca.gov/coatings/coatingsrules.htm>
 - OTC — www.otcair.org
 - SCAQMD — <http://www.aqmd.gov/rules>
- I. Product names, logos, brands and other trademarks are the property of their respective trademark holders.
- J. Refer to the current MSDS/EDS for specific VOCs (calculated per 40 CFR 59.406). VOCs may vary by base and sheen.
- K. Coating Maintenance Manual: upon conclusion of the project, the Contractor or paint manufacture/supplier shall furnish a coating maintenance manual, such as Sherwin-Williams "Custodian Project Color and Product Information" report or equal. Manual shall include an Area Summary with finish schedule, Area Detail designating where each product/color/finish was used, product data pages, Material Safety Data Sheets, care and cleaning instructions, touch-up procedures, and color samples of each color and finish used.

Lobby/Common Area:

CMU — Concrete Masonry Units

Gypsum Board — Walls

Semi-Gloss Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

Semi-Gloss — High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel — High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

Gypsum Board — Ceilings and Soffits

Flat Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Lobby/Common Area (Cont.):

Wood — Painted Doors, Frames, Trim and Chair Rails

Semi-Gloss Finish

- Primer:** [PrepRite® ProBlock® Latex Primer/Sealer](#) B51 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

- Primer:** [PrepRite® ProBlock® Latex Primer/Sealer](#), B51 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Wood –Painted, Frames, Trim and Chair Rails

Wood — Stained Doors, Frames, Trim and Chair Rails

Stained Finish

- Stain:** [Minwax® 250 Interior Stain](#)
2nd coat: [Minwax® Water Based Polyurethane Varnish, Satin or Gloss](#)
3rd coat: [Minwax® Water Based Polyurethane Varnish, Satin or Gloss](#)

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Lobby/Common Area (Cont.):

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cry® I Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

METAL — Steel Roof Deck, Structural Steel, Joists, Trusses, Beams

CMU — Concrete Masonry Units

Gloss— High Performance Finish

Filler: [Loxon® Block Surfacer](#), A24W200

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Gloss](#), B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Gloss](#), B73-300 Series

Semi-Gloss Finish

Filler: [Loxon® Block Surfacer](#), A24W200

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

Filler: [Loxon® Block Surfacer](#), A24W200

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

Eg-Shel — High Performance Finish

Filler: [Loxon® Block Surfacer](#), A24W200

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series

Masonry and Concrete — Ceilings and Soffits

Flat Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [ProMar 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

2nd coat: [ProMar 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Showroom:

Gypsum Board — Walls

Gloss — High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Gloss](#), B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Gloss](#), B73-300 Series

Eg-Shel — High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-300 Series

Semi-Gloss Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

Gypsum Board — Ceilings and Soffits

Flat Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Showroom (Cont.):

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Break Room/Bathroom/Customer Waiting Area:

Gypsum Board — Walls

Semi-Gloss Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

Eg-Shel Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel or Gloss — High Performance Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Gypsum Board — Ceilings and Soffits

Flat Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Break Room/Bathroom/Customer Waiting Area (Cont.):

Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

METAL — Steel Roof Deck, Structural Steel, Joists, Trusses, Beams

Flat, Eg-Shel, or Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Waterborne Acrylic Dryfall, Flat, Eg-Shel, Semi-Gloss](#), B42-80 Series

2nd coat: [Pro Industrial™ Waterborne Acrylic Dryfall, Flat, Eg-Shel, Semi-Gloss](#), B42-80 Series

Auto Parts Warehouse/Distribution:

Non-Ferrous Decking

Flat, Eg-Shel, or Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Waterborne Acrylic Dryfall, Flat, Eg-Shel, Semi-Gloss](#), B42-80 Series
2nd coat: [Pro Industrial™ Waterborne Acrylic Dryfall, Flat, Eg-Shel, Semi-Gloss](#), B42-80 Series

Alternate:

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Multi-Surface Acrylic Eg-Shel](#), B66-560 Series
2nd coat: [Pro Industrial™ Multi-Surface Acrylic Eg-Shel](#), B66-560 Series

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Car Wash Bays/Service Bays Room & Boiler Room/Maintenance Office:

Car Wash Bays

Epoxy/Urethane Systems (Solvent Base Finish) — Block

a. Gloss Finish

- 1st Coat:** [S-W Kem Cati-Coat® HS Epoxy Filler/Sealer](#), B42W400 Series
(10–20 mils DFT)
2nd Coat: [S-W Macropoxy® 646 Fast Cure Epoxy](#), B58W610 Series
(5–10 mils DFT)
3rd Coat: [S-W Macropoxy® 646 Fast Cure Epoxy](#), B58W610 Series
(5–10 mils DFT)

Epoxy/Urethane Systems (Solvent Base Finish) — Steel

a. Gloss Finish

- 1st Coat:** [S-W Macropoxy® 646 Fast Cure Epoxy](#), B58W610 Series
(5–10 mils DFT)
2nd Coat: [S-W Macropoxy® 646 Fast Cure Epoxy](#), B58W610 Series
(5–10 mils DFT)

Concrete Floor

Sherwin-Williams offers a full line of high performance resinous epoxy and urethane floor coatings. Specifications for floor coatings systems are specific to each project. Please contact your Sherwin-Williams product representative for detailed information and specifications assistance.

Car Wash Bays/Service Bays Room & Boiler Room/Maintenance Office (Cont.):

Boiler Room/Maintenance Office

Masonry and Concrete — Walls

Eg-Shel Finish

- Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

Eg-Shel or Gloss — High Performance Finish

- Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Masonry and Concrete — Ceilings

Flat Finish

- Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro-Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro-Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Ferrous Metal — High Performance Finish for Handrails

Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Waterbased Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Waterbased Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Concrete Floors — Pigmented & Decorative:

Concrete Floors — Pigmented

Light Duty (Foot Traffic)

1st coat: [ArmorSeal® Tread-Plex™](#)

2nd coat: [ArmorSeal® Tread-Plex™](#)

Medium/Heavy Duty (Kitchen Areas, Food Service, Restrooms, Corridors)

Gloss Finish

1st coat: [ArmorSeal® 8100 Finish](#) B70-8100 Series

2nd coat: [ArmorSeal® 8100 Finish](#) B70-8100 Series

Satin Finish

1st coat: [ArmorSeal® 8100 Finish](#) B70-8160 Series

2nd coat: [ArmorSeal® 8100 Finish](#) B70-8160 Series

Sherwin-Williams offers a full line of high performance resinous epoxy and urethane floor coatings. Specifications for floor coatings systems are specific to each project. Please contact your Sherwin-Williams product representative for detailed information and specifications assistance.

Auto Dealership Facility Exterior Paint Schedule

Exterior Concrete/Masonry Areas (Smooth):

Gloss Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [A-100® Exterior Latex Gloss](#), A8 Series
2nd coat: [A-100® Exterior Latex Gloss](#), A8 Series

Satin Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [A-100® Exterior Latex Satin](#), A82 Series
2nd coat: [A-100® Exterior Latex Satin](#), A82 Series

Flat Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [A-100® Exterior Latex Flat](#), A6 Series
2nd coat: [A-100® Exterior Latex Flat](#), A6 Series

Textured Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [UltraCrete Textured Masonry Topcoat Fine, Medium, Extra Coarse](#), A44-W800 Series
2nd coat: [UltraCrete Textured Masonry Topcoat Fine, Medium, Extra Coarse](#), A44-W800 Series

Flat Finish — High Build

Primer: [Loxon XP™ Masonry Coating](#), A24-1400 Series
1st coat: [Loxon XP™ Masonry Coating](#), A24-1400 Series

Exterior CMU & Block Areas (Porous):

Gloss Finish

Filler: [Loxon® Block Surfacer](#), A24W200
1st coat: [A-100® Exterior Latex Gloss](#), A8 Series
2nd coat: [A-100® Exterior Latex Gloss](#), A8 Series

Satin Finish

Filler: [Loxon® Block Surfacer](#), A24W200
1st coat: [A-100® Exterior Latex Satin](#), A82 Series
2nd coat: [A-100® Exterior Latex Satin](#), A82 Series

Low Sheen Finish

Primer: [Loxon® Block Surfacer](#), A24W200
1st coat: [A-100® Exterior Latex Low Sheen](#), A12 series
2nd coat: [A-100® Exterior Latex Low Sheen](#), A12 series

Exterior CMU & Block Areas (Porous) (Cont.):

Flat Finish

- Filler:** [Loxon® Block Surfacers](#), A24W200
1st coat: [A-100® Exterior Latex Flat](#), A6 Series
2nd coat: [A-100® Exterior Latex Flat](#), A6 Series

Flat Finish — High Build

- 1st coat:** [Loxon XP™ Masonry Coating](#), A24-1400 Series
2nd coat: [Loxon XP™ Masonry Coating](#), A24-1400 Series

Exterior Ferrous Metals:

High Performance Finish — Canopies and Handrails

Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Waterbased Acrolon™ 100 Polyurethane Gloss](#), B65-720 Series
2nd coat: [Waterbased Acrolon™ 100 Polyurethane Gloss](#), B65-720 Series

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Exterior Non-Ferrous Metals:

High Performance Finish — Canopies and Handrails

Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Waterbased Acrolon™ 100 Polyurethane Gloss](#), B65-720 Series
2nd coat: [Waterbased Acrolon™ 100 Polyurethane Gloss](#), B65-720 Series

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Exterior Wood:

Gloss Finish

Primer: [Exterior Latex Wood Primer](#), B42W8041

1st coat: [A-100[®] Exterior Latex Gloss](#), A8 Series

2nd coat: [A-100[®] Exterior Latex Gloss](#), A8 Series

Satin Finish

Primer: [Exterior Latex Wood Primer](#), B42W8041

1st coat: [A-100[®] Exterior Latex Satin](#), A82 Series

2nd coat: [A-100[®] Exterior Latex Satin](#), A82 Series

Low Sheen Finish

Primer: [Exterior Latex Wood Primer](#), B42W8041

1st coat: [A-100[®] Exterior Latex Low Sheen](#), A12 Series

2nd coat: [A-100[®] Exterior Latex Low Sheen](#), A12 Series

Exterior EIFS:

Gloss Finish

1st coat: [A-100[®] Exterior Latex Gloss](#), A8 Series

2nd coat: [A-100[®] Exterior Latex Gloss](#), A8 Series

Satin Finish

1st coat: [A-100[®] Exterior Latex Satin](#), A82 Series

2nd coat: [A-100[®] Exterior Latex Satin](#), A82 Series

Low Sheen Finish

1st coat: [A-100[®] Exterior Latex Low Sheen](#), A12 Series

2nd coat: [A-100[®] Exterior Latex Low Sheen](#), A12 Series

Flat Finish

1st coat: [A-100[®] Exterior Latex Flat](#), A6 Series

2nd coat: [A-100[®] Exterior Latex Flat](#), A6 Series

Flat Finish — High Build

Primer: [Loxon XP™ Masonry Coating](#), A24-1400 Series

1st coat: [Loxon XP™ Masonry Coating](#), A24-1400 Series





©2015 The Sherwin-Williams Company