



SHERWIN-WILLIAMS.





SHERWIN-WILLIAMS.

**Exterior
Surfaces**

**Cubicles/Offices/
Conference Rooms**

**Parking
Garage**

**Pavement
Markings**

**UNIFLEX® Roof
Coatings**

**Warehouse/
Distribution**

Bathroom

Room

Sealants

A variety of sealants for maximum performance and flexibility are available, including SHER-MAX®, White Lightning® Polyurethane, Flame Buster® and Loxon®.

**Lobby/
Common Areas**

Restaurant

**Boiler Room/Physical Plant/
Maintenance Office**

**Decorative Concrete
– Interior & Exterior**

**Flooring
Solutions**



SHERWIN-WILLIAMS.



**Exterior
Surfaces**

**Cubicles/Offices/
Conference Rooms**

**Parking
Garage**

**Pavement
Markings**

**UNIFLEX® Roof
Coatings**

**Warehouse/
Distribution**

Break Room

Bathroom

Sealants

**Lobby/
Common Areas**

**Boiler Room/Physical Plant/
Maintenance Office**

Decorative Concrete – Interior & Exterior

Sherwin-Williams H&C® Concrete products offer a complete portfolio of decorative concrete solutions that stand the test of time and help you realize your vision.



SHERWIN-WILLIAMS.





SHERWIN-WILLIAMS.

**Exterior
Surfaces**

**Cubicles/Offices/
Conference Rooms**

**Parking
Garage**

Pavement

UNIFLEX® Roof Coatings

Designed to protect original roof systems and help extend the building's life cycle. With up to 90% reflectivity, surface temperatures are reduced, resulting in decreased cooling costs and energy savings.

**Warehouse/
Distribution**

**Bathroom
Break Room**

**Lobby/
Common Areas**

Sealants

Restaurant

**Boiler Room/Physical Plant/
Maintenance Office**

**Decorative Concrete
– Interior & Exterior**

**Flooring
Solutions**



SHERWIN-WILLIAMS.

**Exterior
Surfaces**

**Cubicles/Offices/
Conference Rooms**

**Parking
Garage**

**Warehouse/
Distribution**

**Bathroom
Break Room**

**Lobby/
Common Areas**

Pavement Markings

Sherwin-Williams has a complete selection of pavement marking solutions including waterborne and solvent-based coatings. Our industry-leading products provide cost-effective performance, durability, reliability and compliance.

Sealants

**Boiler Room/Physical Plant/
Maintenance Office**

**Decorative Concrete
– Interior & Exterior**

Restaurant

**Flooring
Solutions**



SHERWIN-WILLIAMS.

Parking Garage

Sherwin-Williams offers a wide range of products engineered to stand up to the harsh conditions unique to parking structures, including:

- Water repellents
- Concrete stains
- Epoxy injections
- Urethane deck systems

**Exterior
Surfaces**

**Pavement
Markings**

**UNIFLEX® Roof
Coatings**

**Warehouse/
Distribution**

Break Room

Bathroom

**Lobby/
Common Areas**

Sealants

**Boiler Room/Physical Plant/
Maintenance Office**

**Decorative Concrete
– Interior & Exterior**

Restaurant

**Flooring
Solutions**

Lobby/Common Areas

Ceiling

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

Eminence® High Performance Ceiling Paint

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists splattering and dries quickly to a bright white finish.

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology*. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

Doors & Trim

Pro Industrial™ Water Based Alkyd Urethane Enamel

Combines the flexibility and durability of a urethane, smooth finish and excellent washability of an enamel, and ease of application of a waterbased coating.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Floor

ArmorSeal® Floor Coatings

A broad range of epoxies, urethanes, primers and patches for light to heavy traffic areas combining both aesthetic appeal and high performance.

FasTop™ Multi Flooring Systems

Cures rapidly with excellent chemical resistance and is moisture-tolerant during and after installation. The system combines waterbased urethane resins with cement and unique aggregates for tough environments.

Resufloor™ Terrazzo TG

Comprised of a matrix material used to bond the flooring to the substrate, as well as bond a variety of aggregates within the floor. The design of the floor can mix and match several terrazzo matrix colors and aggregate selections to complete this unique flooring surface, customized for each installation.

Handrails

Pro Industrial™ Water Based Alkyd Urethane Enamel

Combines the flexibility and durability of a urethane, smooth finish and excellent washability of an enamel, and ease of application of a waterbased coating.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Walls

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology*. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

Emerald® Designer Edition™ Interior Latex

Combines the luxury of a smooth, uniform finish with our best hide yet. Available in 200 colors, including brighter, cleaner whites, exclusive to select paint lines. It comes in flat, egg-shell, satin and gloss sheens.

ProMar® 200 HP Zero VOC Interior Latex

Offers high-performance durability, an abrasion-resistant formula and outstanding hide. It is MPI* compliant in key categories.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

SuperPaint® Interior Latex with Sanitizing Technology

Exceptionally durable and trusted performance with sanitizing technology. This technology delivers continuous and ongoing antibacterial action and helps prevent the spread of bacteria on painted surfaces.**

Scuff Tuff® Interior Waterbased Enamel

Save on maintenance costs without compromising on appearance. With excellent scuff, mar and scratch resistance, Scuff Tuff® stands up to the wear and tear of busy areas that need more durability than standard architectural coatings and meets the most stringent VOC regulations.

*Reduces VOC levels from potential sources like carpet, cabinets and fabrics and works to reduce unwanted household odors. The length of time SuperPaint® with Air Purifying Technology Interior Acrylic Latex actively reduces odors and formaldehyde depends on the concentration, the frequency of exposure and the amount of painted surface area. **SuperPaint® with Sanitizing Technology is an EPA-registered paint that kills 99.9% of Staph (Staphylococcus aureus), MRSA (Methicillin-resistant Staphylococcus aureus), E. coli (Escherichia coli), VRE (Vancomycin-resistant Enterococcus faecalis) and Enterobacter aerogenes within two hours of exposure on painted surfaces. It continues to kill 90% of these bacteria even after repeated contamination on painted surfaces. The effectiveness lasts for up to four years as long as the integrity of the surface is maintained.

Cubicles/Offices/Conference Rooms

Ceiling

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

Eminence® High Performance Ceiling Paint

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists splattering and dries quickly to a bright white finish.

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology®. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

Doors & Trim

Pro Industrial™ Acrylic Coating

An easy-to-apply, fast-drying, high-performance acrylic with exceptional stain and flash rust/early rust resistance.

Pro Industrial™ Water Based Alkyd Urethane Enamel

Combines the flexibility and durability of a urethane, smooth finish and excellent washability of an enamel, and ease of application of a waterbased coating.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Floor

ArmorSeal® Floor Coatings

A broad range of epoxies, urethanes, primers and patches for light to heavy traffic areas combining both aesthetic appeal and high performance.

Resufloor™ Terrazzo TG

Comprised of a matrix material used to bond the flooring to the substrate, as well as bond a variety of aggregates within the floor. The design of the floor can mix and match several terrazzo matrix colors and aggregate selections to complete this unique flooring surface, customized for each installation.

Handrails

Pro Industrial™ Water Based Alkyd Urethane Enamel

Combines the flexibility and durability of a urethane, smooth finish and excellent washability of an enamel, and ease of application of a waterbased coating.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Walls

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology®. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

ProMar® 200 HP Zero VOC Interior Latex

Offers high-performance durability, an abrasion-resistant formula and outstanding hide. It is MPI* compliant in key categories.

Dry Erase Coating

A smooth, non-yellowing clear gloss with no ghosting or shadowing. It can be used over multiple coating types. *Note: Dry Erase Coating is a specialty coating. Not for use where heavy-duty protection is required.*

SuperPaint® Interior Latex with Sanitizing Technology

Exceptionally durable and trusted performance with sanitizing technology. This technology delivers continuous and ongoing antibacterial action and helps prevent the spread of bacteria on painted surfaces.

Scuff Tuff® Interior Waterbased Enamel

Save on maintenance costs without compromising on appearance. With excellent scuff, mar and scratch resistance, Scuff Tuff® stands up to the wear and tear of busy areas that need more durability than standard architectural coatings and meets the most stringent VOC regulations.

*Reduces VOC levels from potential sources like carpet, cabinets and fabrics and works to reduce unwanted household odors. The length of time SuperPaint® with Air Purifying Technology Interior Acrylic Latex actively reduces odors and formaldehyde depends on the concentration, the frequency of exposure and the amount of painted surface area.
**SuperPaint® with Sanitizing Technology is an EPA-registered paint that kills 99.9% of Staph (Staphylococcus aureus), MRSA (Methicillin-resistant Staphylococcus aureus), E. coli (Escherichia coli), VRE (Vancomycin-resistant Enterococcus faecalis) and Enterobacter aerogenes within two hours of exposure on painted surfaces. It continues to kill 90% of these bacteria even after repeated contamination on painted surfaces. The effectiveness lasts for up to four years as long as the integrity of the surface is maintained.

Restaurant

Ceiling

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

Eminence® High Performance Ceiling Paint

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists splattering and dries quickly to a bright white finish.

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology*. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

Floor

FasTop™ Multi Flooring Systems

Cures rapidly with excellent chemical resistance and is moisture-tolerant during and after installation. The system combines waterbased urethane resins with cement and unique aggregates for tough environments.

Resufloor™ Terrazzo TG

Comprised of a matrix material used to bond the flooring to the substrate, as well as bond a variety of aggregates within the floor. The design of the floor can mix and match several terrazzo matrix colors and aggregate selections to complete this unique flooring surface, customized for each installation.

Walls

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology*. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

ProMar® 200 HP Zero VOC Interior Latex

Offers high-performance durability, an abrasion-resistant formula and outstanding hide. It is MPI¹ compliant in key categories.

Emerald® Designer Edition™ Interior Latex

Combines the luxury of a smooth, uniform finish with our best hide yet. Available in 200 colors, including brighter, cleaner whites, exclusive to select paint lines. It comes in flat, eg-she, satin and gloss sheens.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Scuff Tuff™ Interior Waterbased Enamel

Save on maintenance costs without compromising on appearance. With excellent scuff, mar and scratch resistance, Scuff Tuff™ stands up to the wear and tear of busy areas that need more durability than standard architectural coatings and meets the most stringent VOC regulations.

Doors & Trim

Pro Industrial™ Water Based Alkyd Urethane Enamel

Combines the flexibility and durability of a urethane, smooth finish and excellent washability of an enamel, and ease of application of a waterbased coating.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

¹Reduces VOC levels from potential sources like carpet, cabinets and fabrics and works to reduce unwanted household odors. The length of time SuperPaint® with Air Purifying Technology Interior Acrylic Latex actively reduces odors and formaldehyde depends on the concentration, the frequency of exposure and the amount of painted surface area.

Exterior Surfaces

Walls

ConFlex™ UltraCrete™ Texture Coating

An economical textured finish for masonry substrates. This spray-on formula minimizes surface imperfections for an attractive final appearance that lasts.

Duration® Exterior Acrylic Coating

Formulated with PermaLast® technology and infused with advanced acrylic co-polymers for long-lasting performance. It is both self-priming and mildew resistant.

Loxon® Self-Cleaning Acrylic Coating

Sheds dirt with water contact. It provides excellent weathering protection including resistance to UV, alkalinity, efflorescence and chalking.

Emerald® Exterior Acrylic Coating

Offers exceptional durability and hide with exclusive cross-linking 100% acrylic technology. The advanced formula provides extreme resistance to blistering, peeling, chalking, fading and dirt pickup.

Loxon XP® Masonry Coating

A direct-to-concrete and masonry high build coating. It offers exceptional resistance to alkali, efflorescence and wind-driven rain and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Acrolon™ 100

Engineered to withstand demanding environments in a wide range of weather, chemical and usage conditions. The durable acrylic urethane formulation has excellent adhesion.

Pro Industrial™ Pre-Catalyzed Waterbased Urethane

A single-component, high performance, interior or exterior waterbased acrylic polyurethane. It provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two-component water based urethanes.

Latitude™ with ClimateFlex Technology™ Exterior Acrylic Latex

Combines premium performance features with weather-adaptive technology for results that are ideal, even when the weather isn't. It develops early moisture resistance in as little as 30 minutes and applies smoothly when air, surface and material temperatures are as low as 35°F or as high as 120°F.

Doors & Trim

Resilience® Exterior Acrylic Latex

Offers outstanding hide and durability plus ease of application. With exclusive MoistureGuard™ technology, it resists moisture twice as fast as standard exterior latex coatings.

Duration® Exterior Acrylic Coating

Formulated with PermaLast® technology and infused with advanced acrylic co-polymers for long-lasting performance. It is both self-priming and mildew resistant.

Emerald® Exterior Acrylic Coating

Offers exceptional durability and hide with exclusive cross-linking 100% acrylic technology. The advanced formula provides extreme resistance to blistering, peeling, chalking, fading and dirt pickup.

Pro Industrial™ Pre-Catalyzed Waterbased Urethane

A single-component, high performance, interior or exterior waterbased acrylic polyurethane. It provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two-component water based urethanes.

Pro Industrial™ Water Based Acrolon™ 100

Engineered to withstand demanding environments in a wide range of weather, chemical and usage conditions. The durable acrylic urethane formulation has excellent adhesion.

Break Room

Ceiling

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

Eminence® High Performance Ceiling Paint

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists splattering and dries quickly to a bright white finish.

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology*. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

Floor

ArmorSeal™ Tread Plex™

A one-component, waterbased coating that dries rapidly to a tough, alkali-resistant finish.

ArmorSeal® Floor Coatings

A broad range of epoxies, urethanes, primers and patches for light to heavy traffic areas combining both aesthetic appeal and high performance.

Resufloor™ Terrazzo TG

Comprised of a matrix material used to bond the flooring to the substrate, as well as bond a variety of aggregates within the floor. The design of the floor can mix and match several terrazzo matrix colors and aggregate selections to complete this unique flooring surface, customized for each installation.

Walls

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology*. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

ProMar® 200 HP Zero VOC Interior Latex

Offers high-performance durability, an abrasion-resistant formula and outstanding hide. It is MPI¹ compliant in key categories.

Dry Erase Coating

A smooth, non-yellowing clear gloss with no ghosting or shadowing. It can be used over multiple coating types. *Note: Dry Erase Coating is a specialty coating. Not for use where heavy-duty protection is required.*

SuperPaint® Interior Latex with Sanitizing Technology

Exceptionally durable and trusted performance with sanitizing technology. This technology delivers continuous and ongoing antibacterial action and helps prevent the spread of bacteria on painted surfaces.**

Scuff Tuff® Interior Waterbased Enamel

Save on maintenance costs without compromising on appearance. With excellent scuff, mar and scratch resistance, Scuff Tuff® stands up to the wear and tear of busy areas that need more durability than standard architectural coatings and meets the most stringent VOC regulations.

Doors & Trim

Pro Industrial™ Water Based Alkyd Urethane Enamel

Combines the flexibility and durability of a urethane, smooth finish and excellent washability of an enamel, and ease of application of a waterbased coating.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Pro Industrial™ Pre-Catalyzed Waterbased Urethane

A single-component, high performance, interior or exterior waterbased acrylic polyurethane. It provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two-component water based urethanes.

*Reduces VOC levels from potential sources like carpet, cabinets and fabrics and works to reduce unwanted household odors. The length of time SuperPaint® with Air Purifying Technology Interior Acrylic Latex actively reduces odors and formaldehyde depends on the concentration, the frequency of exposure and the amount of painted surface area.

**SuperPaint® with Sanitizing Technology is an EPA-registered paint that kills 99.9% of Staph (Staphylococcus aureus), MRSA (Methicillin-resistant Staphylococcus aureus), E. coli (Escherichia coli), VRE (Vancomycin-resistant Enterococcus faecalis) and Enterobacter aerogenes within two hours of exposure on painted surfaces. It continues to kill 90% of these bacteria even after repeated contamination on painted surfaces. The effectiveness lasts for up to four years as long as the integrity of the surface is maintained.

Bathroom

Ceiling

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

Eminence® High Performance Ceiling Paint

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists splattering and dries quickly to a bright white finish.

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology®. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

Doors & Trim

Pro Industrial™ Water Based Alkyd Urethane Enamel

Combines the flexibility and durability of a urethane, smooth finish and excellent washability of an enamel, and ease of application of a waterbased coating.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Walls

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology®. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

ProMar® 200 HP Zero VOC Interior Latex

Offers high-performance durability, an abrasion-resistant formula and outstanding hide. It is MPI compliant in key categories.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

SuperPaint® Interior Latex with Sanitizing Technology

Exceptionally durable and trusted performance with sanitizing technology. This technology delivers continuous and ongoing antibacterial action and helps prevent the spread of bacteria on painted surfaces.*

Scuff Tuff™ Interior Waterbased Enamel

Save on maintenance costs without compromising on appearance. With excellent scuff, mar and scratch resistance, Scuff Tuff™ stands up to the wear and tear of busy areas that need more durability than standard architectural coatings and meets the most stringent VOC regulations.

Floor

ArmorSeal® Floor Coatings

A broad range of epoxies, urethanes, primers and patches for light to heavy traffic areas combining both aesthetic appeal and high performance.

FasTop™ Multi Flooring Systems

Cures rapidly with excellent chemical resistance and is moisture-tolerant during and after installation. The system combines waterbased urethane resins with cement and unique aggregates for tough environments.

Resufloor™ Terrazzo TG

Comprised of a matrix material used to bond the flooring to the substrate, as well as bond a variety of aggregates within the floor. The design of the floor can mix and match several terrazzo matrix colors and aggregate selections to complete this unique flooring surface, customized for each installation.

*Reduces VOC levels from potential sources like carpet, cabinets and fabrics and works to reduce unwanted household odors. The length of time SuperPaint® with Air Purifying Technology Interior Acrylic Latex actively reduces odors and formaldehyde depends on the concentration, the frequency of exposure and the amount of painted surface area.

†SuperPaint® with Sanitizing Technology is an EPA-registered paint that kills 99.9% of Staph (Staphylococcus aureus), MRSA (Methicillin-resistant Staphylococcus aureus), E. coli (Escherichia coli), VRE (Vancomycin-resistant Enterococcus faecalis) and Enterobacter aerogenes within two hours of exposure on painted surfaces. It continues to kill 90% of these bacteria even after repeated contamination on painted surfaces. The effectiveness lasts for up to four years as long as the integrity of the surface is maintained.

Warehouse/Distribution

Ceiling

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

Pro Industrial™ Waterborne Acrylic Dryfall

Applies easily by airless spray, and overspray dryfalls to dust for quick and easy cleanup. It is specially formulated to provide flash rust resistance, and the bright white color option delivers light reflectance and boosts lighting efficiency.

Pro Industrial™ Multi-Surface Acrylic

Self-priming and can be applied to marginally prepared surfaces. It offers high hide, good stain resistance, and excellent gloss and color retention.

Floor

ArmorSeal® Floor Coatings

A broad range of epoxies, urethanes, primers and patches for light to heavy traffic areas combining both aesthetic appeal and high performance.

FasTop™ Multi Flooring Systems

Cures rapidly with excellent chemical resistance and is moisture-tolerant during and after installation. The system combines waterbased urethane resins with cement and unique aggregates for tough environments.

Walls

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

Pro Industrial™ Multi-Surface Acrylic

Self-priming and can be applied to marginally prepared surfaces. It offers high hide, good stain resistance, and excellent gloss and color retention.

Pro Industrial™ Acrylic Coating

An easy-to-apply, fast-drying, high-performance acrylic with exceptional stain and flash rust/early rust resistance.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Pro Industrial™ Pre-Catalyzed Waterbased Urethane

A single-component, high performance, interior or exterior waterbased acrylic polyurethane. It provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two-component water based urethanes.

Scuff Tuff™ Interior Waterbased Enamel

Save on maintenance costs without compromising on appearance. With excellent scuff, mar and scratch resistance, Scuff Tuff™ stands up to the wear and tear of busy areas that need more durability than standard architectural coatings and meets the most stringent VOC regulations.

Doors & Trim

Pro Industrial™ Water Based Alkyd Urethane Enamel

Combines the flexibility and durability of a urethane, smooth finish and excellent washability of an enamel, and ease of application of a waterbased coating.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Pro Industrial™ Pre-Catalyzed Waterbased Urethane

A single-component, high performance, interior or exterior waterbased acrylic polyurethane. It provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two-component water based urethanes.

Boiler Room/Physical Plant/Maintenance Office

Ceiling

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

Eminence® High Performance Ceiling Paint

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists splattering and dries quickly to a bright white finish.

SuperPaint® Interior Acrylic with Air Purifying Technology

Help improve indoor air quality for your customers with the trusted performance of SuperPaint® with Air Purifying Technology*. It contributes to better indoor air quality by reducing VOC levels from potential sources like carpet, cabinets and fabrics.

Floor

ArmorSeal™ Tread Plex™

A one-component, waterbased coating that dries rapidly to a tough, alkali-resistant finish.

ArmorSeal® Floor Coatings

A broad range of epoxies, urethanes, primers and patches for light to heavy traffic areas combining both aesthetic appeal and high performance.

FasTop™ Multi Flooring Systems

Cures rapidly with excellent chemical resistance and is moisture-tolerant during and after installation. The system combines waterbased urethane resins with cement and unique aggregates for tough environments.

Walls

ProMar® 200 Zero VOC Interior Latex

Delivers maximum productivity with superb durability, hide and touch-up. It is available in six sheens and in every color.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ High Performance Epoxy

An extremely hard and tough coating with exceptional durability and chemical resistance. It applies direct-to-metal for excellent corrosion resistance. A high solids, high build coating, it has excellent scrubability and resists stains and blocking.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Pro Industrial™ Pre-Catalyzed Waterbased Urethane

A single-component, high performance, interior or exterior waterbased acrylic polyurethane. It provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two-component water based urethanes.

Doors & Trim

Pro Industrial™ Water Based Alkyd Urethane Enamel

Combines the flexibility and durability of a urethane, smooth finish and excellent washability of an enamel, and ease of application of a waterbased coating.

Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations.

Pro Industrial™ Water Based Catalyzed Epoxy

Has exceptional resistance to abrasion, impact, corrosion, chemicals, stains, scrubbing and blocking. It flows and levels to a smooth finish and meets the most stringent VOC regulations.

Pro Industrial™ Pre-Catalyzed Waterbased Urethane

A single-component, high performance, interior or exterior waterbased acrylic polyurethane. It provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two-component water based urethanes.

*Reduces VOC levels from potential sources like carpet, cabinets and fabrics and works to reduce unwanted household odors. The length of time SuperPaint® with Air Purifying Technology Interior Acrylic Latex actively reduces odors and formaldehyde depends on the concentration, the frequency of exposure and the amount of painted surface area.

| Warehouse/Distribution |
|--|
| Ceiling <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Pro Industrial™ Waterborne Acrylic Dryfall</div><div>Pro Industrial™ Multi-Surface Acrylic</div></div> |
| Walls <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Pro Industrial™ Multi-Surface Acrylic</div><div>Pro Industrial™ Acrylic Coating</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div><div>Pro Industrial™ Pre-Catalyzed Waterbased Urethane</div><div>Scuff Tuff™ Interior Waterbased Enamel</div></div> |
| Floor <div><div></div><div>ArmorSeal® Floor Coatings</div><div>FasTop® Multi Flooring Systems</div></div> |
| Doors & Trim <div><div></div><div>Pro Industrial™ Water Based Alkyd Urethane Enamel</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div><div>Pro Industrial™ Pre-Catalyzed Waterbased Urethane</div></div> |

| Bathroom |
|---|
| Ceiling <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Eminence® High Performance Ceiling Paint</div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div></div> |
| Walls <div><div></div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div><div>SuperPaint® Interior Latex with Sanitizing Technology</div><div>Scuff Tuff™ Interior Waterbased Enamel</div></div> |
| Floor <div><div></div><div>ArmorSeal® Floor Coatings</div><div>FasTop® Multi Flooring Systems</div><div>Resulflor® Terrazzo TG</div></div> |
| Doors & Trim <div><div></div><div>Pro Industrial™ Water Based Alkyd Urethane Enamel</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div></div> |

| Break Room |
|--|
| Ceiling <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Eminence® High Performance Ceiling Paint</div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div></div> |
| Walls <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div><div>ProMar® 200 HP Zero VOC Interior Latex</div><div>Dry Erase Coating</div><div>SuperPaint® Interior Latex with Sanitizing Technology</div><div>Scuff Tuff™ Interior Waterbased Enamel</div></div> |
| Floor <div><div></div><div>ArmorSeal® Tread Plex™</div><div>ArmorSeal® Floor Coatings</div><div>Resulflor® Terrazzo TG</div></div> |
| Doors & Trim <div><div></div><div>Pro Industrial™ Water Based Alkyd Urethane Enamel</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div><div>Pro Industrial™ Pre-Catalyzed Waterbased Urethane</div></div> |

| Boiler Room/Physical Plant/ Maintenance Office |
|--|
| Ceiling <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Eminence® High Performance Ceiling Paint</div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div></div> |
| Walls <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ High Performance Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div><div>Pro Industrial™ Pre-Catalyzed Waterbased Urethane</div></div> |
| Floor <div><div></div><div>ArmorSeal® Tread Plex™</div><div>ArmorSeal® Floor Coatings</div><div>FasTop® Multi Flooring Systems</div></div> |
| Doors & Trim <div><div></div><div>Pro Industrial™ Water Based Alkyd Urethane Enamel</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div><div>Pro Industrial™ Pre-Catalyzed Waterbased Urethane</div></div> |

| Lobby/Common Areas |
|--|
| Ceiling <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Eminence® High Performance Ceiling Paint</div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div></div> |
| Walls <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div><div>Emerald® Designer Edition™ Interior Latex</div><div>ProMar® 200 HP Zero VOC Interior Latex</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>SuperPaint® Interior Latex with Sanitizing Technology</div><div>Scuff Tuff™ Interior Waterbased Enamel</div></div> |
| Floor <div><div></div><div>ArmorSeal® Floor Coatings</div><div>FasTop® Multi Flooring Systems</div><div>Resulflor® Terrazzo TG</div></div> |
| Doors & Trim <div><div></div><div>Pro Industrial™ Water Based Alkyd Urethane Enamel</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div></div> |
| Handrails <div><div></div><div>Pro Industrial™ Water Based Alkyd Urethane Enamel</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div></div> |

| Exterior Surfaces |
|---|
| Walls <div><div></div><div>ConFlex® UltraCrete™ Texture Coating</div><div>Duration® Exterior Acrylic Coating</div><div>Loxon® Self-Cleaning Acrylic Coating</div><div>Emerald® Exterior Acrylic Coating</div><div>Loxon XP® Masonry Coating</div><div>Pro Industrial™ Water Based Acrolon™ 100</div><div>Pro Industrial™ Pre-Catalyzed Waterbased Urethane</div><div>Latitude™ with ClimateFlex Technology® Exterior Acrylic Latex</div></div> |
| Doors & Trim <div><div></div><div>Resilience® Exterior Acrylic Latex</div><div>Duration® Exterior Acrylic Coating</div><div>Emerald® Exterior Acrylic Coating</div><div>Pro Industrial™ Pre-Catalyzed Waterbased Urethane</div><div>Pro Industrial™ Water Based Acrolon™ 100</div></div> |

| Cubicles/Offices/Conference Rooms |
|--|
| Ceiling <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Eminence® High Performance Ceiling Paint</div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div></div> |
| Walls <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div><div>ProMar® 200 HP Zero VOC Interior Latex</div><div>Dry Erase Coating</div><div>SuperPaint® Interior Latex with Sanitizing Technology</div><div>Scuff Tuff™ Interior Waterbased Enamel</div></div> |
| Floor <div><div></div><div>ArmorSeal® Floor Coatings</div><div>Resulflor® Terrazzo TG</div></div> |
| Doors & Trim <div><div></div><div>Pro Industrial™ Acrylic Coating</div><div>Pro Industrial™ Water Based Alkyd Urethane Enamel</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div></div> |
| Handrails <div><div></div><div>Pro Industrial™ Water Based Alkyd Urethane Enamel</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div></div> |

| Restaurant |
|--|
| Ceiling <div><div></div><div>ProMar® 200 Zero VOC Interior Latex</div><div>Eminence® High Performance Ceiling Paint</div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div></div> |
| Walls <div><div></div><div>SuperPaint® Interior Acrylic with Air Purifying Technology</div><div>ProMar® 200 HP Zero VOC Interior Latex</div><div>Emerald® Designer Edition™ Interior Latex</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div><div>Scuff Tuff™ Interior Waterbased Enamel</div></div> |
| Floor <div><div></div><div>FasTop® Multi Flooring Systems</div><div>Resulflor® Terrazzo TG</div></div> |
| Doors & Trim <div><div></div><div>Pro Industrial™ Water Based Alkyd Urethane Enamel</div><div>Pro Industrial™ Pre-Catalyzed Water Based Epoxy</div><div>Pro Industrial™ Water Based Catalyzed Epoxy</div></div> |