



**Primers for the
Ultimate Coverage**



**Stain and Odor Blocking Protection
for Professional, Quality Results**





ProBlock Primer®

ProBlock® Primer blocks out most stains including water, smoke, ink, pencil and grease and can be applied on most interior surfaces. Topcoat with any latex or oil-based paint after 1 hour! Use on these stained surfaces: drywall, wood, cured plaster, ceiling tiles, paneling, nonporous wallcovering, and previously painted surfaces.

PROBLOCK PRIMER®
AOM#: C22893
SMIS#: 141-1669
UPC#: 7-24504-41669-2
Aerosol Net Wt.: 12 oz.



FEATURES

- ☐ Quick drying stain blocking protection
- ☐ Seals out water stains, grease, smoke, graffiti, crayon, ink
- ☐ Excellent sealing and hiding properties
- ☐ Seals porous substrates with outstanding holdout
- ☐ Assures uniform appearance with any topcoat



White Pigmented Shellac Primer

White Pigmented Shellac Primer is formulated to permanently hide stains and odors from soot, smoke and water on any surface. This shellac is a quick and effective primer for your fire restoration projects. Plus, its excellent coverage, high rate spray rate, fast drying properties and tannin seal from knots will help to shorten your time at the jobsite. Use on these surfaces: wood, plywood, paneling, cured plaster, ceiling tiles, block, masonry, stucco, and previously painted surfaces.



FEATURES

- ☐ Permanently seals odors from soot, smoke, pets
- ☐ Assures uniform sealed surface
- ☐ Primes and seals in one coat
- ☐ Recoat with any topcoat
- ☐ Fast drying
- ☐ Adheres to glossy substrates
- ☐ Excellent sealing and hiding properties

WHITE PIGMENTED SHELLAC PRIMER
AOM#: C26944000
SMIS#: 134-4027
UPC#: 0-35777-80540-4
Aerosol Net Wt.: 12 oz.





Multi-Purpose Oil-Based Primers

Multi-Purpose Oil-Based Primers are a low-odor versatile sealer and stain blocker formulated to seal out water sensitive stains, dried water stains, smoke stains and related odors, grease, ink, and pencil stains. It is quick drying and assures uniform appearance of topcoats. Use on these surfaces: wood, hardboard, cured plaster, paneling, ceiling tiles, and previously painted surfaces. Also available is the Multi-Purpose Oil-Based Vertical Primer for overhead spraying of acoustical tiles, plaster and drywall ceilings.

FEATURES

- ☐ Low odor
- ☐ Seals out stains from smoke, water and fire damage
- ☐ Seals out smoke and related odors
- ☐ Primes and seals all interior surfaces
- ☐ Excellent sealing and hiding properties
- ☐ Seals porous substrates with outstanding holdout
- ☐ Assures uniform appearance with any topcoat



MULTI-PURPOSE OIL-BASED PRIMER

AOM#: C45000000
SMIS#: 650171390
UPC#: 7-24504-85304-6
Aerosol Net Wt.: 12 oz.

MULTI-PURPOSE OIL-BASED VERTICAL PRIMER

AOM#: C45000001
SMIS#: 650171416
UPC#: 7-24504-85306-0
Aerosol Net Wt.: 12 oz.

