



LineLazer[®]

Professional Airless Line Striping Systems



25TH ANNIVERSARY EDITION

PROVEN QUALITY. LEADING TECHNOLOGY.

There is no other pavement line striping system like the LineLazer Airless Professional Striping System.

Quality. Performance. Durability. Productivity.

Since 1990 Graco's LineLazer Airless Striping Systems have delivered on all counts and lead the pavement striping industry!

The LineLazer family of strippers has constantly been improved to meet the changing needs of the pavement marking industry, each time delivering substantial benefits to the professional striping contractor. The LineLazer System continues the tradition of delivering innovation and performance, creating an unmatched family of strippers.

You can take pride in the fact that Graco strippers are designed, manufactured, and assembled right here in the United States of America.



What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best airless line striping systems, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Each LineLazer stripper boasts Graco quality and dependability that you can count on. For more than 20 years striping contractors have turned to Graco.

MAXIMUM PERFORMANCE

Each LineLazer System is engineered to deliver maximum performance for completing jobs quickly and efficiently.

INDUSTRY-LEADING WARRANTY

Graco backs each LineLazer System with a full 3-year warranty from defects in material and workmanship.

UNMATCHED PRODUCTIVITY

Superior design and innovative technology means you'll be getting the highest productivity in a line striping system.



Nice Stripes.



As iconic as stripes on a zebra. The Graco LineLazer has helped define the world's greatest places for 25 years. It was the first to offer two-gun capability. It was the first to feature electronic smart controls and bead system, the first with an auto-layout system, the first with six guns, and the first with dual-color capability.

To commemorate this historic milestone, Graco is proud to release 25th Anniversary LineLazer models available only in 2015. Specially badged to celebrate a legacy of innovation, these units deliver the quality, performance, and productivity that has made LineLazer the industry leader.



25 YEARS OF STRIPING EXCELLENCE LINELAZER25.COM

Typical Applications



Parking Lots

As larger lots become more popular, you can finish them faster and more efficiently with the LineLazer airless strippers.



Airports

Airports offer professional striping contractors opportunities to add on to their existing striping jobs. The LineLazer System is sure to have the right striping solution.



Construction Zones

Construction zones offer additional incremental striping opportunities. The LineLazer stripper's smaller size allows it to quickly put down stripes, insuring a safe construction zone.



Intersections/Roads

From arrows and crosswalks to entire intersections, there are many ways to grow your business with LineLazer airless strippers.


Features Found On A Graco LineLazer.



Easy Out™ Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish

Vertical filter removes with the cap for less mess



Endurance Pump Graco's Endurance Pump is the most rugged and reliable pump on the market today.

- ▶ Long-life V-Max Blue™ packings
- ▶ Chromex™ rod and stainless steel sleeve deliver superior reliability and life



SmartControl™ Digital Tracking System

Track, measure, and control every aspect of your striping job.

- ▶ Digital display shows psi, mph, mils-instant average, lineal foot, gallons and mils-total
- ▶ Operates in three modes—striping, parking lot, and road—for the best performance no matter the job



Honda® Engine Compact, lightweight, and powerful, Honda engines are reliable, technologically advanced, and easy to start.

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Contractor preferred

POWERED by **HONDA**



LineDriver® Attachment Get higher productivity with less fatigue by riding instead of walking with the patented LineDriver and LineDriver HD attachments.

- ▶ The most user-friendly Ride-On Systems in the striping industry
- ▶ Dual foot pedal design for forward and reverse operation



Front Swivel Wheel Graco's Front Swivel Wheel Mount System with its Fat Track front tire allows maneuverability and ease of use.

- ▶ Easier "up to the curb" parking lot striping and hard-to-do curves
- ▶ Tapered locking pin design for years of dependable operation



Advanced Vibration Reduction System

- ▶ By removing engine vibration, Graco's Advanced Vibration Reduction System takes line quality to the *next level*.

Auto-Layout™ System (Patent Pending)

Graco's exclusive Auto-Layout System lets you finish jobs faster, with less hassle and less fatigue.

- ▶ Up to 30% faster with walk behind strippers
- ▶ Up to 50% faster when using the LineDriver attachment



LineLazer
3400

DESCRIPTION	PART #
LINELAZER 3400 (1-GUN)	248861

SPECIFICATIONS	
MAX TIP SIZE:	0.027
MAX GPM (LPM):	0.75 (2.8)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE ENGINE CC (HP):	120 (4.0)
WEIGHT LBS (KG):	145 (65)

The **LineLazer 3400** is the preferred choice for contractors who are looking for professional performance in a 1-gun striper. This striper is ideal for parking lots and seal coating contractors, schools and park and recreation departments.



Easy Reach Controls

- ▶ Operator controls are located on the handle bars
- ▶ You can fine tune the striper without stopping

Handle Bar Design

- ▶ High-comfort design for greater control and less operator fatigue
- ▶ Contoured grips comfortably fit your hands

Electronic Pressure Control

- ▶ Accurate, tight tolerance system provides excellent line quality


Chromex™ Pump Rod

- ▶ Long life rod treatment for the most demanding materials
- ▶ Four times harder than ordinary chrome

Front Swivel Wheel

- ▶ Provides easier “up to the curb” parking lot striping and hard-to-do curves
- ▶ Tapered locking pin design for years of dependable operation

Both the **LineLazer 3900** and **LineLazer 5900** are the clear leaders for 2-gun professional stripers and are designed to deliver the most precise and consistent lines in the industry. Materials sprayed are most heavy, low VOC, waterborne and solvent striping paints. These stripers are ideal for mid- to heavy-duty line striping requirements.



LineLazer IV
3900

DESCRIPTION	PART #
LINELAZER IV 3900 (1-GUN)	248862
LINELAZER IV 3900 (2-GUNS)	248863

SPECIFICATIONS	
MAX TIP SIZE:	0.036 1-Gun 0.025 2-Guns
MAX GPM (LPM):	1.25 (4.7)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	120 (4.0)
WEIGHT LBS (KG):	212 (96)

LineLazer IV
5900

DESCRIPTION	PART #
LINELAZER IV 5900 (1-GUN)	248866
LINELAZER IV 5900 (2-GUNS)	248867

SPECIFICATIONS	
MAX TIP SIZE:	0.043 1-Gun 0.029 2-Guns
MAX GPM (LPM):	1.60 (6.0)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	160 (5.5)
WEIGHT LBS (KG):	232 (105)

Advantage Drive System

- ▶ Heavy-duty clutch automatically adjusts and aligns for long life
- ▶ Hardened gears offer proven durability with quiet, efficient operation

Lightweight Gun Holder

- ▶ To minimize gun movement caused by rough pavement conditions
- ▶ Durable, extruded aluminum design
- ▶ Spring-assisted cable return for positive gun shut-off

Advanced Vibration Reduction System

- ▶ Removes engine vibration, taking line quality to the next level

Rear Gun Mount System

- ▶ Place the guns near the rear axle for straighter long lines and smoother curved lines
- ▶ Great gun visibility, especially on glass bead applications

Line Striping System

LineLazer 130HS

DESCRIPTION	PART #
LINELAZER 130HS (2-GUN UNIT ONLY)	287025
SPECIFICATIONS	
MAX TIP SIZE:	0.029
MAX GPM (LPM):	1.3 (4.9)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	120 (4.0)
WEIGHT LBS (KG):	240 (108)

LineLazer IV 200HS

DESCRIPTION	PART #
LINELAZER IV 200HS (1-GUN)	248870
LINELAZER IV 200HS (2-GUNS)	248871
SPECIFICATIONS	
MAX TIP SIZE:	0.047 1-Gun 0.034 2-Guns
MAX GPM (LPM):	2.15 (8.14)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	200 (6.5)
WEIGHT LBS (KG):	277 (125)

See page 19 for units including Pressurized Bead Systems installed.



High-Capacity Cooling System

The **LineLazer 130HS** and the **LineLazer IV 200HS** are hydraulic airless strippers for your most demanding jobs. Start out with the 130HS and move up to the 200HS as you and your business grow. Materials sprayed are most heavy, low VOC, waterborne and rubberized traffic paints. These strippers are ideal for your large, continuous line striping requirements.



SmartControl Digital Tracking

(Available on LineLazer IV 200HS only.)

- ▶ Provides consistent spraying pressure, reducing pulsation and line variations
- ▶ Digital Tracking System keeps you informed on the job

Cooling Fan Design

- ▶ Exclusive design delivers more air flow to keep the hydraulic pump running cool

High-Capacity Cooling System

- ▶ Larger hydraulic fluid reservoir keeps the system running cool
- ▶ Innovative cooling fins wrap down and under the reservoir for improved air flow

Chromex™ Pump Rod

- ▶ Long life rod treatment is a proven performer
- ▶ Four times harder than ordinary chrome

Exclusive LineLazer IV Auto-Layout System

Eliminate the hassle of manually laying out parking stalls and pre-marking road lines with the Auto-Layout System from Graco. Only Graco offers a “better way” to tackle the tough layout jobs with the Auto-Layout System.




SmartControl Digital Tracking System

Track, measure and control every aspect of your job.




Roadline Layout




Pre-mark and apply stripes in one pass.

Parking Lot Layout



Accurately places layout dots for you.



Simply connect the dots.

Digital Display

The display now shows psi, mph, miles-instant average, lineal foot, gallons and miles-total—all on one screen

Finish Jobs Faster

- ▶ Up to 30% faster with walk behind strippers
- ▶ Up to 50% faster when using the LineDriver attachment

Less Hassle, Less Fatigue

- ▶ No bending to mark the lines
- ▶ Eliminates the strain to read the tape measure
- ▶ Takes the hassle out of calculating distances and stall sizes
- ▶ Auto-Layout System automatically places dots for layout jobs—saving you time and money

Pin Point Accuracy

- ▶ Accurate to 1/4 inch at 100 feet
- ▶ Simple to use *every time*

NO MORE...

- ▶ Tape measures
- ▶ Calculation errors
- ▶ Guessing
- ▶ Sore backs
- ▶ Wasted energy
- ▶ Missed opportunities

Auto-Layout System Digital Displays



Striping Mode



Parking Lot Mode



Road Mode



Auto-Layout System

LineLazer IV 3900 Auto-Layout System

DESCRIPTION	PART #
LINELAZER IV 3900 AUTO-LAYOUT SYSTEM (1-GUN)	253920
LINELAZER IV 3900 AUTO-LAYOUT SYSTEM (2-GUNS)	253953
SPECIFICATIONS	
MAX TIP SIZE:	0.036 1-Gun 0.025 2-Guns
MAX GPM (LPM):	1.25 (4.7)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	120 (4.0)
WEIGHT LBS (KG):	212 (96)

LineLazer IV 5900 Auto-Layout System

DESCRIPTION	PART #
LINELAZER IV 5900 AUTO-LAYOUT SYSTEM (1-GUN)	253921
LINELAZER IV 5900 AUTO-LAYOUT SYSTEM (2-GUNS)	253954
SPECIFICATIONS	
MAX TIP SIZE:	0.043 1-Gun 0.029 2-Guns
MAX GPM (LPM):	1.60 (6.0)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	160 (5.5)
WEIGHT LBS (KG):	232 (105)



Auto-Layout Module

Both the **LineLazer IV 3900** and **LineLazer IV 5900** feature the Auto-Layout System allowing you to do layout jobs without the “hassle and pain” of manual systems. These striperes are ideal for your continuous, heavy-duty line striping jobs and are excellent for medium to large parking lot layouts.



Easy Out Filter

- ▶ Filter screen removes with the cap for convenient, mess-free access
- ▶ Flow-through design flushes faster for quicker color changes
- ▶ Filters from the inside out

Endurance Piston Pump

- ▶ Field proven performance
- ▶ Delivers long life

Exclusive Durable Can Holder System

- ▶ Folds up for on-board storage
- ▶ Pivots forward or backwards if hit
- ▶ Built to last in *all* conditions

Rear Gun Mount System

- ▶ Ability to place the guns near the rear axle for applying straighter long lines and smoother curved lines
- ▶ Combine with Auto-Layout System for one pass dot marking and line striping

Advanced Vibration Reduction System

- ▶ Removes engine vibration, taking line quality to the next level

High performance along with the exclusive Auto-Layout System makes the **LineLazer IV 200HS** the preferred striper for professional contractors who demand hydraulic power. This striper is ideal for large, heavy-duty line striping jobs including parking lots and road layout jobs.



Hydraulic Power

- ▶ Cool running hydraulic power
- ▶ No-stall design
- ▶ Field proven performance

Rear Gun Mount System

- ▶ Ability to place the guns near the rear axle for applying straighter long lines and smoother curved lines
- ▶ Combine with Auto-Layout System for one pass dot marking and line striping

Exclusive Durable Can Holder Design

- ▶ Folds up for on-board storage
- ▶ Built to last in *all* conditions
- ▶ Proven performance

Chromex Pump Rod

- ▶ Long life rod treatment
- ▶ Four times harder than ordinary chrome

Digital Display

- ▶ Display shows psi, mph, mils-instant average, lineal foot, gallons and mils-total—all on one screen
- ▶ Simple push button design makes it easy to use
- ▶ Back-lit feature can be seen in all conditions

Auto-Layout System

LineLazer IV 200HS Auto-Layout System

DESCRIPTION	PART #
LINELAZER IV 200HS AUTO-LAYOUT SYSTEM (1-GUN)	253922
LINELAZER IV 200HS AUTO-LAYOUT SYSTEM (2-GUNS)	253955
SPECIFICATIONS	
MAX TIP SIZE:	0.047 1-Gun 0.034 2-Guns
MAX GPM (LPM):	2.15 (8.14)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	200 (6.5)
WEIGHT LBS (KG):	277 (125)



Simple Connection System

Introducing the Next Evolution in Line Striping.

Graco now offers the industry's first **stand-on, self-propelled** striping unit. The **LineLazer IV 250sps** is the stand-on striping solution for improved visibility and razor sharp lines.



Automatic Gun Control System

- ▶ Manual or automatic paint and bead guns with the push of a button

Electric Clutch System

- ▶ Disengages engine for fast starting

25-Gallon (95 L) Paint Hopper

- ▶ Extended striping time with large capacity hopper

Honda 13 HP GX Engine—Electric Start

- ▶ Industry proven performance with the most demanded engine by contractors

POWERED BY **HONDA**



Graco Hydraulic Motor System

- ▶ Graco's no-stall hydraulic motor for uninterrupted performance

Flex Plus® Guns

- ▶ Industry proven paint guns with LineLazer tips provide precise lines

Endurance Piston Pump System

- ▶ Long life pump provides precise flow for wide range of striping materials

Rear Gun Mount System

- ▶ Provides straighter long lines—perfect for bike paths, airports and other long line jobs

Self-Centering Front Wheel

- ▶ Eliminates one user interface for simpler operation
- ▶ Foam filled for stability



Dashboard Controls

Throttle Control, Remote Choke, #1 Gun, #2 Gun, Power On/Off, Pressure Control and LCD Display.

Stand-On, Self-Propelled

LineLazer IV 250sps

Self-Propelled System
(Patent Pending)

DESCRIPTION	PART #
LINELAZER IV 250SPS (2-GUN UNIT)	24F307
LINELAZER IV 250SPS (2-GUN UNIT WITH PRESSURIZED BEAD SYSTEM INSTALLED) • 1 BEAD TANK	16V473
LINELAZER IV 250SPS (2-GUN UNIT WITH PRESSURIZED BEAD SYSTEM INSTALLED) • 2 BEAD TANKS	24U561
SPECIFICATIONS	
MAX TIP SIZE:	0.055 1-Gun 0.039 2-Guns
MAX GPM (LPM):	2.5 (9.5)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	390 (13.0)
WEIGHT LBS (KG):	600 (270)



Auto-Layout System—Automatic Gun System allows marking to be done with guns rather than with the assistance of aerosol cans.



Rear Stand-On or Flip-Up Platform System

Integrated platform provides ergonomic place for standing, great sight line and all-day comfort or flip-up platform for walk-behind operation.



Self-Propelled System

LineLazer IV 250dc

Self-Propelled System

DESCRIPTION
LINELAZER IV 250DC
(2 PAINT GUNS)

PART #
24U242

SPECIFICATIONS

MAX TIP SIZE: 0.055-1 Gun
0.039-2 Guns

MAX GPM (LPM): 2.50 (9.5)

MAX PSI (BAR): 3300 (227)

**HONDA GX
ENGINE CC (HP):** 390 (13)
Electric Start

DESCRIPTION **PART #**

LINELAZER IV 250DC
(2 PAINT AND BEAD
GUNS WITH PRESSURIZED
BEAD SYSTEM; 2 BEAD
TANKS—INSTALLED)

24U243

SPECIFICATIONS

MAX TIP SIZE: 0.055-1 GUN
0.039-2 GUNS

MAX GPM (LPM): 2.50 (9.5)

MAX PSI (BAR): 3300 (227)

**HONDA GX
ENGINE CC (HP):** 390 (13)
Electric Start

DESCRIPTION **PART #**

LINELAZER IV 250DC
(3 PAINT AND BEAD
GUNS WITH PRESSURIZED
BEAD SYSTEM; 2 BEAD
TANKS—INSTALLED)

24U820

SPECIFICATIONS

MAX TIP SIZE: 0.055-1 Gun
0.039-2 Guns
0.031-3 Guns

MAX GPM (LPM): 2.50 (9.5)

MAX PSI (BAR): 3300 (227)

**HONDA GX
ENGINE CC (HP):** 390 (13)
Electric Start

Spray two colors *simultaneously* with Graco's new **LineLazer IV 250dc**. Ideally suited for airports, municipalities, DOTs or anyone who needs to spray highlight lines or other dual-color striping. The LineLazer IV 250dc rewrites line-striping productivity and flexibility by spraying two colors simultaneously in patterns as wide as 36 inches.



Remote Mount SmartControl® System

Track, measure and control every aspect of your job via a digital display.



AIRPORTS



ROAD LINES



INTERSECTIONS



Dual Graco Hydraulic Motors

- ▶ No-Stall design provides uninterrupted performance

Dual Endurance® Displacement Pumps

- ▶ Provides precise flow for a wide range of striping materials

Exclusive Self-Centering Front Wheel

- ▶ Provides simpler operation

Exclusive Stand-On Platform

- ▶ Provides ergonomic place for standing, great view and all-day comfort

Dual 15-Gallon Paint Hoppers

- ▶ Simultaneously spray two colors and refill less often

Front or Rear Gun Mount

- ▶ Use up to six guns to create straighter long lines

Flex Plus Guns

- ▶ Industry proven paint guns provide precise lines

Graco Bead Guns

- ▶ Reliable design delivers proven performance

Dual Bead Tanks

- ▶ Holds up to 240 lbs of beads (120 lbs each)


Honda 13 HP GX Engine

- ▶ Electric start for ease of use

POWERED BY HONDA



Electric Gun Control—Manual or automatic paint and bead guns with a push of a red button.



Ride-On System

LineDriver

DESCRIPTION
LINEDRIVER

PART #
262004

SPECIFICATIONS

OPERATING SPEED: Up to 10 MPH
(16 KM/H)
Reverse 6 MPH
(10 KM/H)

FUEL CAPACITY (LTR): 0.95 (3.6)

HONDA GX
ENGINE CC (HP): 160 (5.5)

WEIGHT LBS (KG): 265 (120)

LineDriver HD

DESCRIPTION
LINEDRIVER HD

PART #
262005

SPECIFICATIONS

OPERATING SPEED: Up to 10 MPH
(16 KM/H)
Reverse 6 MPH
(10 KM/H)

FUEL CAPACITY (LTR): 0.95 (3.6)

HONDA GX
ENGINE CC (HP): 200 (6.5)

STARTING SYSTEM: ProStart

WEIGHT LBS (KG): 275 (125)



Why Walk When You Can Ride?

Graco offers two high performance **LineDriver** attachments to connect to your LineLazer striper to double your striping productivity.

The **LineDriver** and **LineDriver HD** attachments provide the most innovative, user-friendly ride-on systems for the professional striping contractor.



Exclusive FlexBeam™ Break-A-Way Light System

- ▶ Fully adjustable for all types of low light applications
- ▶ Break-A-Way design helps protect against costly repairs and keeps you on the job

Patented Dual Foot Pedal System

- ▶ For forward and reverse—move between jobs without having to *PUSH!*

Exclusive ProStart™ Engine Starting System

- ▶ Up to 50% less pulling effort to start the engine—no more broken recoils
- ▶ Outperforms manual pull and electric start systems when the weather starts turning cooler
- ▶ Patent No. 6,883,633

Honda Engine

- ▶ Compact, lightweight and powerful—Honda engines are reliable, technologically advanced and easy to start
- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Contractor preferred

POWERED by **HONDA**



ENDURANCE™ ADVANTAGE PROGRAM

A SOLUTION TO KEEP YOU STRIPING

Graco knows the last thing you can afford is costly downtime. And with the Endurance Advantage Program, you'll never need to worry about it. When you buy any new Graco LineLazer line striper, you can purchase an additional Endurance Pump for **up to 80% OFF** the list price—keep a spare on hand to save yourself time and money on every job. Or if you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. No matter what your choice, Graco ensures you'll always be up and striping! Simply follow the registration instructions included with your sprayer.



WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Stripe with the confidence that you will probably never need to use Graco's warranty, but if you do. . . *we will be there.*

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire striper.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the striper to the place you bought it within 30 days. They'll either exchange it for an identical striper or you can trade up to a larger striper at an additional cost.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.



Nobody Else Builds Stripers Like This.

Accessories

AIRLESS LINE STRIPING SYSTEMS



GUNS AND HOSE KITS Airless hose connects directly to gun through spring guard mount.

- 248157 FlexPlus Striping Gun with LL5319 Tip
- 245225 LineLazer Hose with E-nickel fittings, 3/8 in x 50 ft, 3300 psi
- 245798 LineLazer Hose with E-nickel fittings, 1/4 in x 7 ft, 3300 psi
- 249080 Coupled Hose, 1/4 in x 50 ft, 3300 psi (LineLazer 3400 only)
- 124884 LineLazer Hose with E-nickel fittings, 3/8 in x 20 ft, 3300 psi (LineLazer IV 250SPS only)
- 191239 LineLazer Hose with E-nickel fittings, 3/8 in x 12 ft, 3300 psi (LineLazer IV 250DC only)

PAINT GUN KITS

- 287553 Complete kit for 2-gun striping with the LineLazer IV models (5900, 200HS)
- 287553 Complete kit for 2-gun striping with the LineLazer III models (3900, 5900)
- 241284 Complete kit for 2-gun striping with the LineLazer II models (3900, 5900)
- 24M679 Complete kit for 2-gun striping with the LineLazer IV (250SPS striper only)
- 24P930 Complete kit for adding 3rd or 4th gun for LineLazer IV (250SPS/250DC stripers only)

BEAD GUN KIT For use with LineLazer IV 200HS and LineLazer IV 250SPS and 250DC

- 16R963 Complete kit for adding bead gun. Includes hardware and hose.



STENCIL KITS For use with LineLazer IV 200HS, LineLazer 250SPS/250DC

- 24G778 Paint Gun Stencil Kit
Includes: (1) Paint Gun and 1/4 in x 50 ft Hose and Mounting Brackets
- 238957 Hand Bead Stencil Kit (Use with the EZ Bead Pressurized Dispensing System only.)
Includes: (1) Bead Gun, (2) 3/4 in x 24 ft Clear Hoses, .234 in/.35 degree Tip, 1 ft Extension Tube and Mounting Brackets

LINELAZER LINE POINTERS

- 277062 Short Pointer Guide – 25 in for LineLazer III and LineLazer IV models
- 277063 Long Pointer Guide – 40 in for LineLazer III and LineLazer IV models
- 24N162 Adjustable Pointer Guide – 40 in retractable pointer for LineLazer IV 250SPS and 250DC

LINELAZER IV LIGHT KIT Provides improved visibility in low-light conditions.

- 24M598 High-output Light (LineLazer IV 250SPS and 250DC)



15 Gallon Hopper



25 Gallon Hopper



Dual 15-Gallon Hoppers

PAINT HOPPERS Spend less time refilling and more time striping.

- 241104 15-Gallon for LineLazer IV 3900, 5900, 130HS and 200HS
- 241103 15-Gallon for LineLazer 3500, 5000
- 278720 15-Gallon Hopper (LineLazer IV 250DC only)
- 278452 25-Gallon Hopper (LineLazer IV 250SPS only)
- 287590 Plastic Hopper Cover (LineLazer 130HS, 200HS, 3900, 5900)
- 24V687 Plastic Hopper Cover (LineLazer IV 250DC Dual Hopper) 1 each
- 24V781 Dual Plastic Hopper Cover Kit (LineLazer IV 250DC Dual Hopper) 2 included in kit
- 24V782 Dual 15-Gallon Hopper Complete Kit (Includes: 2 hoppers, 2 covers, 2 grommets and all hardware)

SPRAY SHIELD KIT Attaches easily to any LineLazer line striper to contain the spray pattern when applying turf paints.

- 249081 Adjustable Spray Shield Kit



WHEEL REPLACEMENTS

- 241105 Fat Track Retro Kit for LineLazer 3500, 5000
- 113479 Front Wheel Replacement for LineLazer IV 250SPS (Pneumatic)
- 16W284 Front Wheel Replacement for LineLazer IV 250SPS and 250DC (Foam Filled)

ALL-TERRAIN TIRES (TURF) Wide, low pressure all-terrain tires.

- 249083 All-terrain tire for LineDriver, LineDriver HD and LineLazer IV 250SPS and 250DC. Contains 2 tires, rim-mounted.
- 249082 All-terrain tire for LineLazer IV 3900, 5900, 130HS, 200HS. Contains 2 tires, rim-mounted; wheel bearings. Does not work with LineLazer IV Auto-Layout.



HITCH KIT

- 245321 Hitch Kit for LineLazer III and IV

BATTERY KIT

- 245343 LineDriver Auxiliary Battery Kit

EZ Bead Dispensing Systems

Part No.	Product Description	Unit/Bead System Compatibility Chart				
		LineLazer				
EZ Bead Gravity Dispensing System (Kits)		3500, 3900, 5900	130HS, 200HS (Made Before 1-1-13)	130HS, 200HS (Made After 1-1-13)	250sps (Made Before 1-1-13)	250sps/250DC (Made After 1-1-13)
6 Inch						
277064	Complete 2-Bead Dispenser System includes: (2) 6 in Bead Dispensers, (2) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets	●	●	●	●	●
24M838	Complete 2-Bead Dispenser System includes: (2) 6 in Bead Dispensers, (2) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets				●	●
277065	Complete 1-Bead Dispenser System includes: (1) 6 in Bead Dispensers, (1) Wind Deflectors, (1) Hose, (1) Bead Hopper with brackets	●	●	●	●	●
24M641	Complete 1-Bead Dispenser System includes: (1) 6 in Bead Dispensers, (1) Wind Deflectors, (1) Hose, (1) Bead Hopper with brackets				●	●
277067	Replacement Kit includes: (1) 6 in Bead Dispenser, (1) Hose, (1) Wind Deflector	●	●	●	●	●
12 Inch						
24N265	Complete 1-Bead Dispenser System includes: (1) 12 in Bead Dispensers, (1) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets	●	●	●	●	●
24N267	Complete 1-Bead Dispenser System includes: (1) 12 in Bead Dispensers, (1) Wind Deflectors, (1) Hose, (1) Bead Hopper with brackets				●	●
245516	Replacement Kit includes: (1) 12 in Bead Dispenser, (1) Hose, (1) Wind Deflector	●	●	●	●	●
		LineLazer	LineLazer IV	LineLazer IV	LineLazer IV	LineLazer IV
EZ Bead Pressurized Dispensing System (Kits)		3500, 3900, 5900	200HS (Made Before 1-1-13)	200HS (Made After 1-1-13)	250sps (Made Before 1-1-13)	250sps/250DC (Made After 1-1-13)
16R962	Complete 1-Bead Gun Pressurized System includes: (1) Bead Gun, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank				●	●
16R961	Complete 2-Bead Gun Pressurized System includes: (2) Bead Guns, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank				●	●
16R955	Complete 1-Bead Gun Pressurized System includes: (1) Bead Gun, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank		●	●		
16R960	Complete 2-Bead Gun Pressurized System includes: (2) Bead Guns, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank		●	●		
16U439	2nd Pressurized Bead Tank Kit includes: (1) Bead Tank with mounting hardware				●	●
16R963	Pressurized Bead Gun Kit includes: (1) Bead Gun, (1) .234 and (1) .281 Tip, clear hose and hardware		●	●	●	●
16U272	Retro-Kit needed for all LL200HS and LL250Sps built before January 2013. Kit includes: New Pulley and gun mounting bar/brackets for up to 2 guns		●		●	



LineLazer RAC 5 SwitchTip Spray Tips • 2 in (51 mm)

- 286113 LineLazer SwitchTip - Light film build and sport court applications
- LL5213 LineLazer SwitchTip - Heavy film build and sport court applications
- LL5215 LineLazer SwitchTip - Light film build and sport court applications
- LL5217 LineLazer SwitchTip - Medium film build and alkyd paints applications
- LL5219 LineLazer SwitchTip - Heavy film build and alkyd paints applications



LineLazer RAC 5 SwitchTip Spray Tips • 4 in (102 mm)

- LL5315 LineLazer SwitchTip - Light film build for most traffic paints
- LL5317 LineLazer SwitchTip - Medium film build for most traffic paints
- LL5319 LineLazer SwitchTip - Medium film build for most traffic paints
- LL5321 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5323 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5325 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5327 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5329 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5331 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5333 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5335 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5339 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5343 LineLazer SwitchTip - Heavy film build for most traffic paints



LineLazer RAC 5 SwitchTip Spray Tips • 4-8 in (102-204 mm)

- LL5417 LineLazer SwitchTip - Light film build for all paints and high solids traffic paints
- LL5419 LineLazer SwitchTip - Medium film build for all paints and high solids traffic paints
- LL5421 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5423 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5425 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5427 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5429 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5431 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5435 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5439 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5443 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints



LineLazer RAC 5 SwitchTip Spray Tips • 8-12 in (204-305 mm)

- LL5621 LineLazer SwitchTip - Light film build and all traffic paint applications
- LL5623 LineLazer SwitchTip - Heavy film build and all traffic paint applications
- LL5625 LineLazer SwitchTip - Light film build and all traffic paint applications
- LL5627 LineLazer SwitchTip - Medium film build and all traffic paint applications
- LL5629 LineLazer SwitchTip - Heavy film build and all traffic paint applications
- LL5631 LineLazer SwitchTip - Light film build and all traffic paint applications
- LL5635 LineLazer SwitchTip - Heavy film build and all traffic paint applications
- LL5639 LineLazer SwitchTip - Light film build and all traffic paint applications
- LL5643 LineLazer SwitchTip - Light film build and all traffic paint applications

RAC® Spray Tips

LineLazer
SwitchTips™

Graco's complete line of LineLazer SwitchTip Spray Tips have the right tip for all your striping needs.



LineLazer Specifications



		LineLazer 3400	LineLazer IV 3900	LineLazer IV 3900 Auto-Layout System	LineLazer 130HS	LineLazer IV 5900	LineLazer IV 5900 Auto-Layout System	LineLazer IV 200HS	LineLazer IV 200HS Auto-Layout System	LineLazer IV 250SPS Self-Propelled System	LineLazer IV 250DC Dual Color System	
MODEL	Part Number	248861 1-Gun	248862 1-Gun 248863 2-Guns	253920 1-Gun 253953 2-Guns	— 287025 2-Gun Unit Only	248866 1-Gun 248867 2-Guns	253921 1-Gun 253954 2-Guns	248870 1-Gun 248871 2-Guns	253922 1-Gun 253955 2-Guns	— 24F307 2-Gun Unit Only	24U242 2-Gun Unit Only 24U810 3-Gun Unit Only	
	SPECIFICATIONS	Maximum Tip Size	0.027	0.036	0.036	0.029	0.043	0.043	0.047	0.047	0.055	0.055
Maximum psi (bar)		3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	
Maximum gpm (lpm)		0.75 (2.8)	1.25 (4.7)	1.25 (4.7)	1.30 (4.9)	1.60 (6.0)	1.60 (6.0)	2.15 (8.14)	2.15 (8.14)	2.50 (9.5)	2.50 (9.5)	
Honda GX Engine cc (hp)		120 (4.0)	120 (4.0)	120 (4.0)	120 (4.0)	160 (5.5)	160 (5.5)	200 (6.5)	200 (6.5)	390 (13.0)	390 (13.0)	
Weight lbs (kg)		145 (65)	212 (96)	212 (96)	240 (108)	232 (105)	232 (105)	277 (125)	277 (125)	600 (270)	864 (392)	
Gun Support:		1-Gun 2-Guns 3-Guns	0.027 — —	0.036 0.025 —	0.036 0.025 —	0.037 0.029 —	0.043 0.029 —	0.043 0.029 —	0.047 0.034 —	0.047 0.034 —	0.055 0.039 —	0.055 0.039 —
Applications			Turf & Pavement	Turf & Pavement	Pavement	Turf & Pavement	Turf & Pavement	Pavement	Turf & Pavement	Pavement	Turf & Pavement	Pavement
INCLUDES	Gun	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 20 ft (9.5 mm x 6.0 m) BlueMax II Airless	3/8 in x 12 ft 2X (9.5 mm x 3.7 m) BlueMax II Airless	
	Tip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	50 Mesh Easy Out	50 Mesh Easy Out	50 Mesh Easy Out	50 Mesh Easy Out
PUMP	Type	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	
	Intake	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	
	Rod	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	
	Cylinder	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	
	Packings	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	
TRACKING FUEL TANK	Tracking System	N/A	SmartControl	Auto-Layout	N/A	SmartControl	Auto-Layout	SmartControl	Auto-Layout	SmartControl	SmartControl	
	Fuel Capacity gal (ltrs)	0.66 (2.5)	0.66 (2.5)	0.66 (2.5)	0.66 (2.5)	0.95 (3.6)	0.95 (3.6)	0.95 (3.6)	0.95 (3.6)	1.40 (5.3)	1.40 (5.3)	

LineDriver Specifications



		LineDriver	LineDriver HD
MODEL	Part Number	262004	262005
SPECIFICATIONS	Operating Speed: Forward mph (km/h) Reverse mph (km/h)	to 10 (16) to 6 (10)	to 10 (16) to 6 (10)
	Honda GX Engine Size cc (hp)	160 (5.5)	200 (6.5)
	Weight lb (kg)	265 (120)	275 (125)
	Fuel Capacity gal (ltr)	.95 (3.6)	.95 (3.6)
	Engine Starting System	Manual Pull	ProStart

		LineLazer IV 200HS	LineLazer IV 200HS	LineLazer IV 200HS	LineLazer IV 250SPS	LineLazer IV 250SPS	LineLazer IV 250DC	LineLazer IV 250DC
Complete LineLazer Units	Part No.	16V596 1-Gun	16V597 2-Guns	16V731 2-Guns	16V473 2-Guns	24U561 2-Guns	24U243 2-Guns	24U820 3-Guns
	Includes:	LineLazer IV 200HS AND Pressurized Bead System 1 Bead Tank INSTALLED	LineLazer IV 200HS AND Pressurized Bead System 1 Bead Tank INSTALLED	LineLazer IV 200HS Auto-Layout System AND Pressurized Bead System 1 Bead Tank INSTALLED	LineLazer IV 250SPS AND Pressurized Bead System 1 Bead Tank INSTALLED	LineLazer IV 250SPS AND Pressurized Bead System 2 Bead Tanks INSTALLED	LineLazer IV 250DC AND Pressurized Bead System 2 Bead Tanks Installed	LineLazer IV 250DC AND Pressurized Bead System 2 Bead Tanks Installed





ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955