



SHERWIN-WILLIAMS.



# Healthcare Facility Guide Specification

---

This Painting Schedule is furnished as a guide to select paint systems, and is not all-inclusive of available Sherwin-Williams products. Specifiers should review the contents and edit to suit the particular project and its location.

The schedule is arranged by substrates, and offers latexes, acrylics, water-based epoxies, and water-based urethanes. Each type also includes the available sheens.

Local and National V.O.C. (Volatile Organic Compound) regulations have been taken into consideration. However, because regulations vary by region and frequently change, specifiers should verify that the products comply with local rules. Consult with your Sherwin-Williams representative before finalizing the selection.

If you need additional product information, contact your Sherwin-Williams representative, refer to the Sherwin-Williams Painting Systems Catalog, visit [sherwin-williams.com](http://sherwin-williams.com) or call our Architectural Services Answer Team.

**The Sherwin-Williams Company**  
**Architectural Services Department**  
**800-321-8194 (Telephone)**  
**216-566-1392 (Fax)**


**09 91 23 INTERIOR &  
09 91 13 EXTERIOR**

Issued June 2012

The Sherwin-Williams Company







# Healthcare Facility Interior Paint Schedule

---

## Specifier Notes — Topcoats:

---

- a. **ProMar 200 Zero VOC Interior Latex** — A durable, professional quality zero VOC vinyl acrylic topcoat available in a Flat, Low Sheen, Eg-Shel, and Semi-Gloss line of finishes.
- b. **Harmony Interior Latex with Odor Eliminating Technology and Anti-Microbial Properties** — A durable, silica free, zero VOC line of coatings formulated with odor eliminating technology to reduce the amount of healthcare odors in occupied areas. Available in a Flat, Eg-Shel, and Semi-Gloss line of finishes.
- c. **Pro Industrial Pre-Catalyzed Waterbased Epoxy** — A single-component, low VOC, waterbased acrylic epoxy that offers the durability and resistance to stains and cleaning solvents usually characteristic of two-component waterbased epoxies. Available in Eg-Shel and Semi-Gloss finishes.
- d. **Pro Industrial Zero VOC Waterborne Epoxy** — A revolutionary two-component zero VOC waterborne epoxy formulated to provide excellent corrosion resistance, chemical resistance, abrasion resistance, and moisture resistance. Available in Eg-Shel and Gloss finishes.
- e. **Pro Industrial Zero VOC Acrylic** — A single-component, light industrial, 100% acrylic coating that flows and levels to a silky smooth finish. Available in a Satin, Semi-Gloss, and Gloss line of finishes.

## Recommended Finishes:

- Ceilings and Soffits:** Flat, Eg-Shel or Semi-Gloss Finish
- Walls:** Eg-Shel or Semi-Gloss Finish
- Trim:** Semi-Gloss Finish (unless otherwise noted)

## Miscellaneous Notes:

- a. For previously painted substrates, the primer can usually be eliminated.  
When loose or peeling paint is evident or the surfaces to be painted are glossy, contact your Sherwin-Williams representative for surface preparation and finishing instructions.
- b. This schedule is not inclusive of all Sherwin-Williams products; other products and finishes are available.
- c. All products listed meet ASHRAE 189.1, LEED-09 Healthcare, LEED-09 New Construction, LEED-09 Core & Shell, LEED-09 Commercial Interiors, CAL Green, SCAQMD, IGCC, and NGBS unless otherwise noted.
- d. For questions and assistance, contact your Sherwin-Williams representative or call **800-321-8194**.

## Resident Room/Patient Room/Common Area:

### Masonry and Concrete — Ceilings and Soffits

#### Flat Finish — Low Odor Zero VOC Topcoat

---

- Primer:** Loxon Concrete & Masonry Primer, A24W8300, <100 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Flat, B30W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Flat, B5W551 series — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Flat, B30W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Flat, B5W551 series — Odor Eliminating Technology, 0 g/L VOC

#### Eg-Shel Finish — Low Odor Zero VOC Topcoat

- Primer:** Loxon Concrete & Masonry Primer, A24W8300, <100 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC

#### Semi-Gloss Finish — Low Odor Zero VOC Topcoat

- Primer:** Loxon Concrete & Masonry Primer, A24W8300, <100 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC

### CMU — Concrete Masonry Units

#### Eg-Shel Finish — Low Odor Zero VOC Topcoat

- Filler:** PrepRite Block Filler, B25W25, 45 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC

#### Semi-Gloss Finish — Low Odor Zero VOC Topcoat

- Primer:** PrepRite Block Filler, B25W25, 45 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B11W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B11W551 — Odor Eliminating Technology, 0 g/L VOC

## Resident Room/Patient Room/Common Area (Cont.):

### Gypsum Board — Ceilings and Soffits

#### Flat Finish — Low Odor Zero VOC System

---

- Primer:** ProMar 200 Zero VOC Interior Latex Primer, B28W2600, 0 g/L VOC  
**Or** Harmony Interior Latex Primer, B11W500 — Odor Eliminating Technology, 0 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Flat, B30W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Flat, B5W551 series — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Flat, B30W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Flat, B5W551 series — Odor Eliminating Technology, 0 g/L VOC

#### Eg-Shel Finish — Low Odor Zero VOC System

- Primer:** ProMar 200 Zero VOC Interior Latex Primer, B28W2600, 0 g/L VOC  
**Or** Harmony Interior Latex Primer, B11W500 — Odor Eliminating Technology, 0 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC

#### Semi-Gloss Finish — Low Odor Zero VOC System

- Primer:** ProMar 200 Zero VOC Interior Latex Primer, B28W2600, 0 g/L VOC  
**Or** Harmony Interior Latex Primer, B11W500 — Odor Eliminating Technology, 0 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC

### Gypsum Board — Walls

#### Eg-Shel Finish — Low Odor Zero VOC System

- Primer:** ProMar 200 Zero VOC Interior Latex Primer, B28W2600, 0 g/L VOC  
**Or** Harmony Interior Latex Primer, B11W500 — Odor Eliminating Technology, 0 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC

#### Semi-Gloss Finish — Low Odor Zero VOC System

- Primer:** ProMar 200 Zero VOC Interior Latex Primer, B28W2600, 0 g/L VOC  
**Or** Harmony Interior Latex Primer, B11W500 — Odor Eliminating Technology, 0 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC

## Resident Room/Patient Room/Common Area (Cont.):

### Wood — Painted Doors, Frames, Trim, or Chair Rails

Semi-Gloss Finish — Low Odor Zero VOC System

---

- Primer:** ProMar 200 Zero VOC Interior Latex Primer, B28W2600, 0 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*
- 2nd coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*

### Wood — Stained Trim or Chair Rails

Stained Finish

- Stain:** Minwax Wood Finish Stain, <250 g/L VOC
- 2nd coat:** Minwax Waterbased Polyurethane Varnish, Satin or Gloss, <275 g/L VOC
- 3rd coat:** Minwax Waterbased Polyurethane Varnish, Satin or Gloss, <275 g/L VOC

### Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*
- 2nd coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*

### Ferrous Metal — High Performance System for Handrails

Eg-Shel or Gloss Finish

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series or Gloss, B73-300 series, 0 g/L VOC
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series or Gloss, B73-300 series, 0 g/L VOC

### Non-Ferrous Metal — Galvanized Metals

Semi-Gloss Finish

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*
- 2nd coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*



## Resident Room/Patient Room/Common Area (Cont.):

### Non-Ferrous Metal — High Performance System for Handrails

Eg-Shel or Gloss Finish

- 
- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC  
**1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series or Gloss, B73-300 series, 0 g/L VOC  
**2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series or Gloss, B73-300 series, 0 g/L VOC

## Kitchen/Food Service Area/Restroom/Dry Lab/Corridor:

### Masonry and Concrete – Ceilings and Soffits

Flat Finish — Low Odor Zero VOC Topcoat

- 
- Primer:** Loxon Concrete & Masonry Primer, A24W8300, <100 g/L VOC  
**1st coat:** ProMar 200 Zero VOC Flat, B30W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Flat, B5W551 series — Odor Eliminating Technology, 0 g/L VOC  
**2nd coat:** ProMar 200 Zero VOC Flat, B30W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Flat, B5W551 series — Odor Eliminating Technology, 0 g/L VOC

Eg-Shel Finish — Low Odor Zero VOC Topcoat

- Primer:** Loxon Concrete & Masonry Primer, A24W8300, <100 g/L VOC  
**1st coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC  
**2nd coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC

Semi-Gloss Finish — Low Odor Zero VOC Topcoat

- Primer:** Loxon Concrete & Masonry Primer, A24W8300, <100 g/L VOC  
**1st coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC  
**2nd coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC

### CMU — Concrete Masonry Units

Eg-Shel Finish

- Filler:** Heavy Duty Block Filler, B42W46, <100 g/L VOC  
**1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Eg-Shel, K45 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*  
**2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Eg-Shel, K45 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*

## Kitchen/Food Service Area/Restroom/Dry Lab/Corridor (Cont.):

### Semi-Gloss Finish

- Filler:** Heavy Duty Block Filler, B42W46, <100 g/L VOC
- 1st coat:** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*
- 2nd coat:** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*

### Gloss Finish

- Filler:** Heavy Duty Block Filler, B42W46, <100 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC

### Gypsum Board — Ceilings and Soffits

#### Flat Finish — Low Odor Zero VOC System

- Primer:** ProMar 200 Zero VOC Interior Latex Primer, B28W2600, 0 g/L VOC  
**Or** Harmony Interior Latex Primer, B11W500 — Odor Eliminating Technology, 0 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Flat, B30W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Flat, B5W551 series — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Flat, B30W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Flat, B5W551 series — Odor Eliminating Technology, 0 g/L VOC

#### Eg-Shel Finish — Low Odor Zero VOC System

- Primer:** ProMar 200 Zero VOC Interior Latex Primer, B28W2600, 0 g/L VOC  
**Or** Harmony Interior Latex Primer, B11W500 — Odor Eliminating Technology, 0 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Eg-Shel, B20W2650 series, 0 g/L VOC  
**Or** Harmony Interior Latex Eg-Shel, B9W551 — Odor Eliminating Technology, 0 g/L VOC

#### Semi-Gloss Finish — Low Odor Zero VOC System

- Primer:** ProMar 200 Zero VOC Interior Latex Primer, B28W2600, 0 g/L VOC  
**Or** Harmony Interior Latex Primer, B11W500 — Odor Eliminating Technology, 0 g/L VOC
- 1st coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC
- 2nd coat:** ProMar 200 Zero VOC Interior Latex Semi-Gloss, B31W2651 series, 0 g/L VOC  
**Or** Harmony Interior Latex Semi-Gloss, B10W551 — Odor Eliminating Technology, 0 g/L VOC

## Kitchen/Food Service Area/Restroom/Dry Lab/Corridor (Cont.):

### Gypsum Board — Walls

#### Eg-Shel Finish

---

- Primer:** ProMar 200 Zero VOC Primer, B28W2600, 0 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Eg-Shel, K45 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Eg-Shel, K45 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*

#### Semi-Gloss Finish

- Primer:** ProMar 200 Zero VOC Primer, B28W2600, 0 g/L VOC
- 1st coat:** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*
- 2nd coat:** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*

#### Gloss Finish

- Primer:** ProMar 200 Zero VOC Primer, B28W2600, 0 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC

### Ferrous Metal — Doors, Frames, and Miscellaneous Metals

#### Semi-Gloss Finish

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, 96 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*
- 2nd coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*

### Ferrous Metal — High Performance System for Handrails

#### Eg-Shel or Gloss Finish

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series or Gloss, B73-300 series, 0 g/L VOC
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series or Gloss, B73-300 series, 0 g/L VOC

## Kitchen/Food Service Area/Restroom/Dry Lab/Corridor (Cont.):

### Non-Ferrous Metal — Galvanized Metals

Semi-Gloss Finish

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*
- 2nd coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66-650 series, 0 g/L VOC  
**Or** \*Pro Industrial Pre-Catalyzed Waterbased Epoxy Semi-Gloss, K46 series, <150 g/L VOC  
*\*Does not meet LEED-HC or SCAQMD*

### Non-Ferrous Metal — High Performance System for Handrails

Eg-Shel or Gloss Finish

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series or Gloss, B73-300 series, 0 g/L VOC
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series or Gloss, B73-300 series, 0 g/L VOC

## Operating Room/Surgical Suite:

### CMU — Concrete Masonry Units

Eg-Shel Finish — Low Odor Zero VOC Topcoat

- Filler:** Heavy Duty Block Filler, B42W46, <100 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC

Gloss Finish — Low Odor Zero VOC Topcoat

- Filler:** Heavy Duty Block Filler, B42W46, <100 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC

### Gypsum Board — Walls & Ceilings

Eg-Shel Finish — Low Odor Zero VOC System

- Primer:** ProMar 200 Zero VOC Primer, B28W2651, 0 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC

Gloss Finish — Low Odor Zero VOC System

- Primer:** ProMar 200 Zero VOC Primer, B28W2651, 0 g/L VOC
- 1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC
- 2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC

## Operating Room/Surgical Suite (Cont.):

### Ferrous Metal — Doors, Frames, Handrails, and Miscellaneous Metals

Eg-Shel Finish — Low Odor Zero VOC Topcoat

- 
- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC  
**1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC  
**2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC

Gloss Finish — Low Odor Zero VOC Topcoat

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC  
**1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC  
**2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC

### Non-Ferrous Metal — Doors, Frames, Handrails, and Miscellaneous Metals

Eg-Shel Finish — Low Odor Zero VOC Topcoat

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC  
**1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC  
**2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Eg-Shel, B73-360 series, 0 g/L VOC

Gloss Finish — Low Odor Zero VOC Topcoat

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC  
**1st coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC  
**2nd coat:** Pro Industrial Zero VOC Waterborne Epoxy Gloss, B73-300 series, 0 g/L VOC

## Exposed Ceilings and Decking:

### Ferrous Metal Decking — including Bar Joists

Flat, Eg-Shel, or Semi-Gloss Finish

- Primer:** Pro Industrial Pro-Cryl Universal Primer, B66-310 series, <100 g/L VOC  
**1st coat:** Low VOC Waterborne Acrylic Dryfall, Flat B42W81, Eg-Shel B42W82, Semi-Gloss B42W83, <50 g/L VOC  
**2nd coat:** Low VOC Waterborne Acrylic Dryfall, Flat B42W81, Eg-Shel B42W82, Semi-Gloss B42W83, <50 g/L VOC

### Galvanized Metal Decking

Flat, Eg-Shel, or Semi-Gloss Finish

- 1st coat:** Low VOC Waterborne Acrylic Dryfall, Flat B42W81, Eg-Shel B42W82, Semi-Gloss B42W83, <50 g/L VOC  
**2nd coat:** Low VOC Waterborne Acrylic Dryfall, Flat B42W81, Eg-Shel B42W82, Semi-Gloss B42W83, <50 g/L VOC

## Concrete Floors — Pigmented Coating Systems:

### Light Duty (Foot Traffic)

**1st coat:** ..... ArmorSeal Tread-Plex WB Acrylic Coating, <100 g/L VOC .....

**2nd coat:** ArmorSeal Tread-Plex WB Acrylic Coating, <100 g/L VOC

### Medium/Heavy Duty (Kitchen Areas)

SW/General Polymers FasTop S Urethane Slurry System

Or SW/General Polymers Trafficote #105

*Note: FasTop S (Urethane Slurry) provides extreme tolerance to substrate moisture, rapid return to service and long-lasting performance. Combines waterbased urethane resins with cement and unique aggregates for tough environments. Designed for fast installation, quick return to service and long-lasting performance.*

*Note: Trafficote #105 is a high build (1/16"–1/8") chemical-resistant protective self-leveling system which utilizes high solids binder resins and selected aggregates to produce a resin-rich material that is easily applied with a v-notched trowel or squeegee.*

### Medium/Heavy Duty (Food Service, Restroom, Lab, Corridor)

SW/General Polymers Trafficote #105

*Note: Trafficote #105 is a high build (1/16"–1/8") chemical-resistant protective self-leveling system which utilizes high solids binder resins and selected aggregates to produce a resin-rich material that is easily applied with a v-notched trowel or squeegee.*

## Concrete Floors — Decorative Coating Systems:

### Light/Medium (Kitchen Areas)

SW/General Polymer FasTop Ceramic Carpet

..... Or SW/General Polymers Ceramic Carpet #400 .....

Or SW ArmorSeal ArmorQuartz System

*Note: Decorative Coatings are not recommended for use in areas subject to temperatures exceeding 160 degrees F in service.*

*Note: FasTop Ceramic Carpet combines the extreme tolerance to substrate moisture, rapid return to service and long-lasting performance of a urethane slurry system with the decorative look of a blended color quartz system.*

*Note: Ceramic Carpet #400 is a unique decorative look with extreme durability. This system blends colored quartz with clear resin for a truly unique style, available in a variety of color blends. Its looks are balanced with tough durability, extreme chemical resistance and stain resistance to allow for the highest level of sanitation.*

## Concrete Floors — Decorative Coating Systems (Cont.):

### Medium/Heavy Duty (Food Service, Restroom, Lab, Corridor)

.....SW/General Polymers Decorative Mosaic.....  
**Or** SW/General Polymers Ceramic Carpet #400  
**Or** SW/General Polymers Epoxy Terrazzo #1100

*Note: Decorative Mosaic is a high-gloss, resilient, mosaic pattern floorcovering that incorporates vinyl chips in an epoxy base. These chips are sealed with a clear coat of an abrasion-resistant, waterbased polyurethane, chemical-resistant epoxy that provides a tough-wearing surface.*

*Note: Ceramic Carpet #400 is a unique decorative look with extreme durability. This system blends colored quartz with clear resin for a truly unique style, available in a variety of color blends. Its looks are balanced with tough durability, extreme chemical resistance and stain resistance to allow for the highest level of sanitation.*

*Note: Epoxy Terrazzo #1100 is a thin-set terrazzo comprised of an epoxy matrix used to bond the flooring to the substrate, as well as bond a variety of aggregates to the floor. The design of the floor can mix and match limitless terrazzo matrix colors and aggregate selections to complete this unique flooring surface, customized for each installation.*

### Medium/Heavy Duty (Surgical Suite)

SW/General Polymers SofTop Decorative Flooring

*Note: SofTop is a seamless, resilient decorative flooring system combining high solids flexible epoxy resin with colored rubber chips in a troweled mortar system. The result is a seamless floor that offers ergonomic comfort and noise reduction versus other traditional hard surface floor systems. Topcoats provide extreme chemical and stain resistance.*

# Healthcare Facility Exterior Paint Schedule

## Specifier Notes — Topcoats:

- a. **A-100 Exterior Latex** — A 100% acrylic formula that offers a durable, professional quality coating available in a Flat, Satin, and Gloss line of finishes.
- b. **Loxon XP** — A high build exterior masonry coating that can be applied to fresh concrete and masonry surfaces, saving you time and labor and accelerating construction schedules. It is highly alkali and efflorescent resistant.
- c. **Conflex XL Elastomeric** — An elastomeric coating that provides excellent flexibility, durability, and weather resistance. This product will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco. Available in smooth or textured finishes.
- d. **Waterbased Acrolon 100 Urethane** — A two-component, less than 100 g/L VOC, waterbased, acrylic urethane enamel. It is designed for high performance protection with outstanding exterior gloss and color retention properties.
- e. **Pro Industrial Zero VOC Acrylic** — A single-component, light industrial, 100% acrylic coating that flows and levels to a silky smooth finish. Available in a Satin, Semi-Gloss, and Gloss line of finishes.
- f. **UltraCrete Textured Masonry Topcoat** — A 100% acrylic aggregate filled coating used to produce a textured finish on exterior surfaces

## Recommended Finishes:

**Body:** Flat or Satin (unless otherwise noted)  
**Trim:** Semi-Gloss or Gloss Finish (unless otherwise noted)

## Miscellaneous Notes:

- a. For previously painted substrates, most times the primer can be eliminated and then finished with 1 or 2 coats. When loose or peeling paint is evident or surfaces have a gloss finish, contact your Sherwin-Williams Architectural Account Executive for specific preparation and finishing instructions.
- b. This schedule is not inclusive of all SW products; other products and finishes are available.
- c. For questions and assistance, contact your local Architectural Account Executive.



## Concrete and Masonry — Smooth:

### Flat Finish — High Build Coating

**Primer:**..... Loxon Concrete & Masonry Primer, A24W8300, <100 g/L VOC.....  
**1st coat:** Loxon XP High Build Coating, A24W400 series, <50 g/L VOC

### Flat Finish — Standard

**Primer:** Loxon Concrete & Masonry Primer, A24W8300 series, <100 g/L VOC  
**1st coat:** A-100 Exterior Latex Flat, A6 series, <50 g/L VOC  
**2nd coat:** A-100 Exterior Latex Flat, A6 series, <50 g/L VOC

### Satin Finish

**Primer:** Loxon Concrete & Masonry Primer, A24W8300, <100 g/L VOC  
**1st coat:** A-100 Exterior Latex Satin, A82 series, <50 g/L VOC  
**2nd coat:** A-100 Exterior Latex Satin, A82 series, <50 g/L VOC

### Textured Finish

**Primer:** Loxon Concrete & Masonry Primer, A24W8300, <100 g/L VOC  
**1st coat:** UltraCrete Textured Masonry Topcoat Fine, A44W801, Medium A44W811, Extra Coarse, A44W821, <50 g/L VOC  
**2nd coat:** UltraCrete Textured Masonry Topcoat Fine, A44W801, Medium A44W811, Extra Coarse, A44W821, <50 g/L VOC

## CMU and Block Areas — Porous:

### Flat Finish — High Build Coating

**Filler:** Loxon Block Surfacer, A24W200, <100 g/L VOC  
**1st coat:**..... Loxon XP High Build Coating, A24W400 series, <100 g/L VOC.....

### Flat Finish — Standard

**Filler:** Loxon Block Surfacer, A24W200, <100 g/L VOC  
**1st coat:** A-100 Exterior Latex Flat, A6 series, <50 g/L VOC  
**2nd coat:** A-100 Exterior Latex Flat, A6 series, <50 g/L VOC

### Satin Finish

**Filler:** Loxon Block Surfacer, A24W200, <100 g/L VOC  
**1st coat:** A-100 Exterior Latex Satin, A82 series, <50 g/L VOC  
**2nd coat:** A-100 Exterior Latex Satin, A82 series, <50 g/L VOC

### Elastomeric (Waterproofing)

**Filler:** Loxon Block Surfacer, A24W200, 81 g/L VOC  
**1st coat:** ConFlex XL Elastomeric High Build Coating, A5-400 series, <50 g/L VOC  
**2nd coat:** ConFlex XL Elastomeric High Build Coating, A5-400 series, <50 g/L

## Ferrous Metals:

### Semi-Gloss Finish

**Primer:** Pro Industrial Pro-Cryl Universal Metal Primer, B66-310, <100 g/L VOC

**1st coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66 series, 0 g/L VOC

**2nd coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66 series, 0 g/L VOC

**High Performance System** (Areas where aesthetics and performance are critical such as canopies, handrails, etc.)

### Gloss Finish

**Primer:** Pro Industrial Pro-Cryl Universal Metal Primer, B66-310, <100 g/L VOC

**1st coat:** Waterbased Acrolon 100 Polyurethane Gloss, B65-700 series, <100 g/L VOC

**2nd coat:** Waterbased Acrolon 100 Polyurethane Gloss, B65-700 series, <100 g/L VOC

## Galvanized and Aluminum Metals:

### Semi-Gloss Finish

**Primer:** Pro Industrial Pro-Cryl Universal Metal Primer, B66-310, <100 g/L VOC

**1st coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66 series, 0 g/L VOC

**2nd coat:** Pro Industrial Zero VOC Acrylic Semi-Gloss, B66 series, 0 g/L VOC

**High Performance System** (Areas where aesthetics and performance are critical such as canopies, handrails, etc.)

### Gloss Finish

**Primer:** Pro Industrial Pro-Cryl Universal Metal Primer, B66-310, <100 g/L VOC

**1st coat:** Waterbased Acrolon 100 Polyurethane Gloss, B65-700 series, <100 g/L VOC

**2nd coat:** Waterbased Acrolon 100 Polyurethane Gloss, B65-700 series, <100 g/L VOC

## Wood:

### Satin Finish

**Primer:** Exterior Latex Wood Primer, B42W8041, <100 g/L VOC

**1st coat:** A-100 Exterior Latex Satin, A82 series, <50 g/L VOC

**2nd coat:** A-100 Exterior Latex Satin, A82 series, <50 g/L VOC

## Plaster/Stucco/EIFS:

---

### Flat Finish — High Build Coating

**Primer:** Loxon Concrete & Masonry Primer, A24W8300 series, <100 g/L VOC  
**1st coat:** SherLastic Elastomeric Coating, A5-800 series, <50 g/L VOC

### Flat Finish — Standard

**Primer:** Loxon Concrete & Masonry Primer, A24W8300 series, <100 g/L VOC  
**1st coat:** A-100 Exterior Latex Flat, A6 series, <50 g/L VOC  
**2nd coat:** A-100 Exterior Latex Flat, A6 series, <50 g/L VOC

### Satin Finish

**Primer:** Loxon Concrete & Masonry Primer, A24W8300 series, <100 g/L VOC  
**1st coat:** A-100 Exterior Latex Satin, A82 series, <50 g/L VOC  
**2nd coat:** A-100 Exterior Latex Satin, A82 series, <50 g/L VOC



