

AESTHETICS AND DURABILITY ARE IMPORTANT

INTERIOR PAINTS

The key properties for evaluating interior paints include hide, touchup, washability, scrubs, stain resistance, burnish resistance and smooth application.

Emerald®



- Our finest paint with unsurpassed overall performance.
- Exceptional hide, coverage, durability and washability.
- Paint and primer in one with advanced stain-blocking technology.
- Antimicrobial agents inhibit the growth of mold and mildew on the paint surface.

Duration®



- Most stains wipe clean with soap and water.
- Minimal colour rub-off and less visible shine after washing.
- Antimicrobial agents inhibit the growth of mold and mildew on the paint surface.

Emerald Designer Edition®



- Paint and primer in one with a smooth uniform finish.
- Available in an exclusive collection of 200 new colors, including brighter, purer whites.
- Advanced washability in all finishes and has outstanding resistance to water streaking and spotting.
- Antimicrobial agents inhibit the growth of mold and mildew on the paint surface.

Gallery Series®



- Self-sealing, professional-grade, spray-only product with effortless application.
- Fast air dry to touch, sand and recoat for high productivity.
- Excellent hardness and resistance to household chemicals.
- Non-yellowing formula with in-demand color options and excellent color acceptance.

Superpaint®




- Paint and primer in one for fast and easy application.
- Excellent hide and durability.
- Excellent scrubbability.
- Available in Flat, Velvet, Satin and Semi-Gloss.

Porch & Floor Enamel



- Ideal for both interior and exterior high-traffic surfaces porches, patios, basement stairs and floors, workshops, laundry areas, storage rooms and more.
- Excellent washability maximizes the life cycle of the substrate.
- Stands up to even the toughest household chemicals.
- Lifetime warranty.



AESTHETICS AND DURABILITY ARE IMPORTANT

INTERIOR PAINTS

The key properties for evaluating interior paints include hide, touchup, washability, scrubs, stain resistance, burnish resistance and smooth application.

Opulence®



- Smooth, easy application.
- Self-levelling formula reduces brush and roller marks.
- Scrubbable for easy cleaning.

Quali-Kote®



- High quality latex interior paint with great touch-up capabilities.
- Great coverage.

ProClassic®



- Durable with great adhesion.
- Excellent flow and levelling for a smooth finish.
- Durable finish is great for windows, doors and trim.

All Surface Enamel HP



- Perfect for aluminum, masonry, plaster, steel, galvanized steel, wood, doors and windows.
- Excellent durability, exterior colour and gloss retention.
- Latex formula, smooth, yet tough alkyd-like finish.
- Available in Eg-Shel, Semi-Gloss and Gloss.

Snapdry®



- Dries in as little as one hour.
- Interior/exterior application.
- Resistant to dirt, fingerprints, UV and weathering.
- Doors can be closed in one hour without sticking.

Eminence®



- Delivers a bright white finish.
- A flat finish specifically formulated to help hide surface imperfections and block new stains from forming.
- Applies easily with a smooth consistency.
- No primer needed — covers in just one coat.
- Dries quickly, resists spattering and offers long-lasting beauty.

Emerald® Urethane Trim Enamel



- A smooth and luxurious finish for doors and trim. Delivers a finish that withstands wear and tear and goes on in fewer coats.
- Durable finish is great for windows, doors and trim.
- Interior/exterior waterbased urethane modified alkyd with the look and feel of an alkyd/oil finish.

Captivate® Interior Latex



- Paint and Primer in One.
- Easy to control application and hide.
- Dependable durability.
- Available in Flat, Satin and Semi-Gloss.

DURABILITY IS KEY

EXTERIOR PAINTS

The performance features for evaluating exterior paints include resistance to peeling, blistering, fading, chalking, mildew, and dirt.



Emerald® Exterior Acrylic Latex



- Best-in-class, overall performance.
- Extreme resistance to peeling, blistering and fading.
- Exceptional durability and hide.
- Self-priming with smooth, uniform appearance.
- Can be applied at temperatures as low as 2°C (35°F).

Duration® Exterior Acrylic Latex



- Provides a thicker more flexible layer compared to ordinary latex paint.
- Excellent resistance to cracking, peeling, and blistering.
- Self-priming for one-coat performance on repaints.
- Can be applied at temperatures as low as 2°C (35°F).
- Available in Flat, Satin and Gloss.

SuperPaint® Exterior Latex



- Formulated with Advanced Resin Technology for excellent adhesion, hide and colour retention.
- Excellent coverage and durability. Provides a dirt-resistant and mildew-resistant coating.
- Withstands the elements and resists frost, peeling, blistering, and cracking.

Rejuvenate®



- Dependable bonding.
- Ideal application for peeling siding and trim.
- Use on smooth or textured surfaces including wood, plywood, composition board, masonry, concrete, cement, block, stucco, vinyl, aluminum, galvanized steel or steel.
- Fast dry.

A-100®



- Good hide, adhesion and colour retention
- Efficient coverage.
- Can be applied at temperatures as low as 2°C (35°F).
- 100% Acrylic Formula.
- Available in Flat, Satin and Gloss.

Latitude® Exterior Acrylic Latex



- Resists early moisture in as little as 30 minutes — twice as fast as most exterior coatings.
- Applies smoothly with air, surface, and material temperatures ranging from 2°C – 48 °C (35°F – 120°F).
- Flows easily and levels to a smooth, premium finish — even in extreme temperatures.

DURABILITY IS KEY

EXTERIOR STAINS

The Performance features for evaluating exterior stains include resistance to peeling, blistering, fading, and IR Reflectivity

SuperDeck® Deck & Dock Coating



- Helps to smooth and fill rough, damaged surfaces.
- Delivers maximum hide.
- Resistance to algae and mildew.
- UV protection and long lasting colour.

SuperDeck® Deck Wash



- Removes stains caused by dirt, mildew or algae.
- Cleans and renews weathered, uncoated pressure-treated and composite decking.

SuperDeck® Stain & Sealer Remover



- Removes weathered latex stains, oil-based stains, toners, and clear finishes.
- Removes some solid color stains.
- Provides a more uniform final finish coat.
- Must be followed with an application of Revive.

SuperDeck® Revive Deck & Siding Brightener



- Removes weathered latex stains, oil-based stains, toners, and clear finishes.
- Removes some solid color stains.
- Provides a more uniform final finish coat.
- Must be followed with an application of Revive.

SuperDeck® Modified-Oil Transparent Wood Stain (250 VOC)



- Quality iron oxide pigments to create lasting colors and inhibit UV damage caused by the sun.
- Excellent water repellency.
- This coating contains agents that inhibit the growth of mildew on the surface of the coating.

SuperDeck® Acrylic-Alkyd S-P Solid Color Stain (250 VOC)



- Oil Primer and Latex Top Coat in One Formula.
- Sprayable formula.
- Perfect solution to chalky stucco surfaces.

SuperDeck® Waterborne Semi-Solid Color Deck Stain



- Provides rich pigmented appearance, allows some natural wood grain to show through.
- Repels water on new or weathered wood.
- Can be applied to damp or dry wood.
- Soap and water cleanup.

SuperDeck® WB Semi-Solid Color Deck Stain IR



- Contains pigments that reflect solar rays back into the atmosphere, helping reduce the exterior surface temperature of decks exposed to direct sunlight.
- Contains agents which inhibit the growth of mildew, so decks stay cleaner and fresher looking in any climate.
- Tolerant of damp surfaces.

DURABILITY IS KEY

EXTERIOR STAINS

The Performance features for evaluating exterior stains include resistance to peeling, blistering, fading, and IR Reflectivity



SuperDeck® Waterborne Solid Color Deck Stain



- Provides durable, opaque protection.
- Protects new, weathered or previously stained wood or composite.
- Can be applied to dry or damp wood.
- Water clean up.

SuperDeck® Waterborne Solid Color Deck Stain IR



- Contains pigments that reflect solar rays back into the atmosphere, helping reduce the exterior surface temperature of decks exposed to direct sunlight.
- Contains agents which inhibit the growth of mildew, so decks stay cleaner and fresher looking in any climate.
- Tolerant of damp surfaces.

SuperDeck® Waterborne Semi-Transparent Deck Stain 3-Year



- Provides rich pigmented appearance, allows wood grain texture to show through.
- Repels water on new or weathered wood.
- Can be applied to damp or dry wood.
- Soap and water cleanup.

SuperDeck® Log Home & Deck Waterborne Finish



- Designed specifically for exterior log homes, wood decks, benches, even outdoor wood furniture. May be used on interior vertical logs.
- UV inhibitors and exceptional water-beading properties help extend the life of the finish, so the sleek, satin sheen lasts for years.

DURABILITY IS KEY

EXTERIOR STAINS

The Performance features for evaluating exterior stains include resistance to peeling, blistering, fading, and IR Reflectivity



Exterior Waterbase Solid Stain (WoodScapes®)



- Enhances appearance and texture for great curb appeal.
- Penetrates for exceptional protection and resistance to peeling.
- Thick formula for uniform finish with great coverage.
- Low temperature application to 2°C(35°F).
- 8 Year Limited Warranty.

WoodScapes® Ext. Premium Translucent Finish



- Long-term color retention and mildew resistance.
- Resists cracking and peeling, and protects against UV fading.
- Enhances appearance and texture for greater curb appeal.
- Long-lasting protection while resisting water damage.
- Low temperature application to 2°C(35°F).

WoodScapes® Ext. Polyurethane Semi-Transparent Stain



- Enhances appearance and texture for great curb appeal.
- Penetrates for exceptional protection and resistance to peeling.
- Thick formula for uniform finish with great coverage.
- Excellent colour retention provides a mildew resistance coating.
- Low temperature application to 2°C(35°F).
- 5 Year Limited Warranty.

DURABILITY IS KEY

PRIMERS

The key features for evaluating primers include stain-blocking, adhesion, dry time, and smooth application.



A-100® Exterior FD Alkyd Wood Primer



- Dries quickly.
- Penetrates and seals bare wood for great adhesion.
- Blocks stains from water, wood, tannins and knots.
- Contains agents which inhibit the growth of Mold and mildew.
- Exterior only.

Drywall Latex Primer



- A great choice for basic priming at an affordable price.
- Well-suited for priming under flat topcoats.
- Performs on drywall, wood and plywood.
- Interior only.

Exterior Latex Wood Primer



- Adheres tightly to previously painted surfaces, plywood, and bare wood – including fir and other softwoods.
- Also adheres well to aluminum, galvanized metal and pre-primed steel.
- Resists mildew.
- Exterior only.

Exterior Oil-Based Wood Primer



- Penetrates and seals bare wood for strong adhesion and a long lasting finish.
- Resists mildew.
- Exterior only.

Extreme Block® Interior/Exterior Stain Blocking Alkyd Primer



- Stain Locking Technology has the power to lock and seal off stubborn stains like smoke, fire, and blocks tannin bleed from bare wood.
- Proven Odor Block Technology allows odors to be blocked in the first coat.
- Clear formula remains transparent to preserve aesthetics.

Extreme Block® Interior/Exterior Stain Blocking Waterbased Primer



- Stain Blocking.
- Fast drying.
- Blocks and seals stains from water, smoke, fire, nicotine, knots and tannin bleed.
- Multi-purpose oil-based primer.
- Interior or Exterior use.

Extreme Block® Waterbased Interior Primer Clear



- Stains from smoke, fire, nicotine, tannin bleed and more are no match for the Stain Locking Technology.
- Minimal odor, compared to solvent based primers, maximizes customer satisfaction thanks to Odor Block Technology.
- Fast-drying formula helps keep projects on schedule.

DURABILITY IS KEY

PRIMERS

The key features for evaluating primers include stain-blocking, adhesion, dry time, and smooth application.



Quick Dry Stain Blocking Latex Primer



- Multi-purpose commercial primer - now for both interior and exterior.
- Dries in just one hour, so rooms can be topcoated soon after priming.
- Good stain-blocking properties.
- Prime and seal new and previously painted drywall, wood and plaster.
- Meets stringent VOC regulations.

Multi-Purpose Latex Primer



- Interior and exterior primer.
- Excellent stain-blocking and hiding.
- Good adhesion and bonding.
- Can be used as a pre-wallcovering primer to promote easy removal.
- Can be applied in temperatures as low as 2°C (35°F).

Multi-Purpose Interior Oil-Based Primer



- Can be used on many interior surfaces including wood, hardboard, cured plaster, paneling and ceiling tiles.
- Dries quickly and assures a uniform finish.
- Seals out water sensitive stains, dried water stains, smoke stains and related odors, grease, ink, and pencil stains.
- Interior only.

Premium Interior Wall & Wood Latex Primer



- Assures professional looking results on wood trim, doors and walls.
- Allows the finish coat to develop a full and consistent sheen and offers exceptional ability to maintain topcoat gloss.
- Ideal for use under ProClassic® and Opulence® topcoats.
- Quick drying.
- Interior only.

DURABILITY IS KEY

SPECIALTY PRIMERS

The key features for evaluating primers include stain-blocking, adhesion, dry time, and smooth application.



PrimeRx® Peel Bonding Primer



- Seals surfaces and assures a smoother finish.
- Saves time, money and labour with less sanding and scraping.
- Goes on milky-white for ease of application and dries clear.
- Compatible with any of our exterior acrylic topcoats.
- Cleans up easily with soap and water.

White Pigmented Shellac Primer



- Tightly bonds to many glossy surfaces.
- Assures uniform appearance of topcoats.
- One-coat application.
- Assures adhesion of the topcoat to hard-to-stick surfaces.
- Sanding may not be necessary for most clean, paintable surfaces.

White Synthetic Shellac Interior Stain Blocking Primer



- Extremely effective in blocking the most resistant odours and stains including smoke damage, water stains, tannins and wood knots.
- Compatible with a full range of latex topcoats.
- Ideal for fire restoration.
- Seals in damage caused by water leaks, pet odor and cigar smoke.

Extreme Bond Primer



- Premium paint for windows, doors, trim and cabinets.
- Hard, durable finish in fewer coats.
- Available in satin, gloss and semi-gloss sheens.
- Available in satin, gloss and semi-gloss.

Loxon® Water Blocking Primer/Finish



- Saves time and money with a primer and finish coat in a single product.
- Anti-microbial agents inhibit the growth of mold and mildew on the paint surface.
- Odour-eliminating technology reduces common household odours and smells associated with damp environments.

Loxon® Concrete Masonry Primer



- Seals and adheres to concrete, plaster, brick, stucco, fiber cement siding and EIFS exterior insulated siding.
- Masks pinholes and surface imperfections while preventing peeling caused by alkali salt damage.
- Saves the time and money typically lost while waiting for complete curing of concrete surfaces.

DURABILITY IS KEY

CONCRETE CARE

Choosing the right product for the job is key for all concrete projects. Key features to consider are durability, water-proofing, elastomeric properties, and weather resistance



H&C Clarisheid® Solvent Based Concrete Sealer 250



- Seals and protects cement surfaces.
- Provides a durable, glossy finish.
- Crystal clear, non-yellowing.
- Resists water, pool chemicals and UV rays.
- Suitable for driving surfaces.

Sheild-Crete® Waterbased Epoxy Garage Floor Coating



- No induction, or sweat-in time is necessary, just mix and apply.
- Pull your car back into the garage in just 3 days.
- It is resistant to chemical agents and damage caused by gasoline, brake fluid, standing water and battery acid.
- Water-based - clean up with just soap and water.

H&C Clarisheid® Waterbased Wet Look Concrete Sealer



- Interior and exterior use.
- Can be used on bare or painted concrete and masonry surfaces.
- High solid content.
- Suitable for driving surfaces.
- Ideal gloss finish over Solid Colour Stain WaterBase.

H&C Clarisheid® Oil Based Solid Colour Concrete Stain



- For use on exterior horizontal or vertical surfaces.
- Suitable for driving surfaces.
- Satin finish preserves delicate architectural details.
- Resists UV rays, oil, gasoline and hot water.
- Available in a variety of ready-to-use and tintable colours.

H&C Colortop® Waterbased Solid Colour Concrete Stain



- Can be used on new or used concrete.
- Can be used on previously painted concrete surfaces with proper preparation as well as asphalt surfaces.
- Resistant to acids, UV rays, oil, gas & alkali.
- Provides a mildew resistant coating.
- Interior & exterior use.

H&C Sharkgrip® Slip Resistant Additive



- Creates a slip-resistant surface when added to any H&C topcoat.
- Mixes easily.
- Easier to clean than sand textured surfaces.
- Easy on bare feet.

DURABILITY IS KEY

CONCRETE CARE

Choosing the right product for the job is key for all concrete projects. Key features to consider are durability, water-proofing, elastomeric properties, and weather resistance



H&C Hydro-Defend®



- Non-film forming.
- Protects against freeze/thaw cycles.
- Will not alter color or texture of surface.
- Resists damage from water, salt, dirt and other contaminants.

DURABILITY IS KEY

PROFESSIONAL COATINGS

Choose the right products to get the job done. Evaluate coverage, smooth application, scrubs, stain resistance, durability, and washability.



Promar® 200 0VOC



- Exceptional durability, easy application, and excellent hide.
- Anti-microbial agents inhibit the growth of mold and mildew on the paint surface.
- Available in flat, low gloss eggshell, low sheen eggshell, eggshell, semi-gloss and gloss.
- Outstanding touch-up reduces repaint costs.

Promar® 400 0VOC



- Meets the most stringent VOC requirements.
- Delivers good hide and reliable touch-up to minimize call backs.
- Applies quickly and easily so you can turn jobs fast and save time and money.
- Suitable for drywall, masonry, plaster, metal, wood and concrete.

Promar® 700



- Easier brush and roll application.
- Improved hiding.
- More uniform final appearance.
- Maximized value to you and your customers.
- Available in Latex flat or Semi-Gloss.

Promar® Ceiling Paint



- Super-flat finish diminishes small surface flaws, reducing callbacks and improving the final appearance.
- Self-priming properties achieve an attractive finish in one fewer step than many builder-grade ceiling paints.
- Great adhesion and hide provide reliable results at an affordable price point.

Builders Solution®



- A solution to masking drywall imperfections.
- Optimal touchup including near perfect flat finish touch-up.
- Outstanding scrubability.
- Outstanding burnish resistance.

Dry Erase Coating®



- Turn most walls into a dry erase board.
- Use this clear gloss over any paint colour.
- Durable finish wipes clean - no "ghosting".
- Ideal for schools, conference rooms, message boards - commercial or residential settings.
- Exclusively for sale to professional paint contractors.

Quali-Kote®



- High-hiding, high quality interior latex
- Excellent Coverage.
- Available in Flat, Satin, Lo-Sheen, Semi-Gloss and Pearl finish.

DURABILITY IS KEY

PROFESSIONAL COATINGS

Choose the right products to get the job done. Evaluate coverage, smooth application, scrubs, stain resistance, durability, and washability.



Solo®



- Delivers good hide, block resistance and durability.
- Provides excellent adhesion on both new and previously painted surfaces – including masonry, wood, drywall, plaster, metal and galvanized substrates.
- Most sheens are self-priming for properly prepared interior.

Painters Edge®



- Provides good hide, excellent touchup and spatterresistant formula.
- Ultra-Flat finish to minimize minor surface defects.
- Also available in Eg-Shel, Semi-Gloss and Gloss.
- Ideal for single or multi-family new construction.
- Good washability compared to standard buildergrade coatings.

Property Solutions®



- Applies quickly and easily by brush, roller or spray requiring minimal effort for a faster turn.
- Delivers good hide, flow and leveling resulting in a uniform final appearance.
- Extremely easy to maintain - withstanding mild scrubbing, resisting burnishing and providing very good touchup.

Preprite Block Filler®



- Filling and finish system in one product.
- Allows topcoat on concrete block to be smooth and uniform.
- Effective above grade, unpainted, masonry surfaces.
- Interior and exterior use.

DURABILITY IS KEY

PROFESSIONAL COATINGS EXTERIOR & SPECIALTY

The performance features for evaluating exterior paints include resistance to peeling, blistering, fading, chalking, mildew, and dirt.



DuraCraft® Exterior Acrylic Latex Paint



- Good quality driven by value.
- An economical choice formulated for good performance and value.
- Cleans up easily, with soap and water.
- Maintains well – reducing the need for frequent cleaning or repaints.
- Helps prevent the formation of mold or mildew on the paint film.

Sherstripe® Natural Grass Field Marking Paint



- Provides the highest visibility-creating eye-catching marking lines that pop under any lighting condition.
- Ideal for professional, collegiate, high school and recreational athletic events as well as auto racing, horse racing and more.

Sherstripe® Artificial Field Marking Paint



- Fast-drying latex paint specially formulated for defining artificial turf.
- Requires no reduction or dilution – can be reduced 4:1 with water for touch-up or line refresh.

Pro-Park® Waterbourne Traffic Marking Paint



- Highly visible formula is ideal for highlighting curbs, identifying handicapped and emergency zones and defining traffic boundaries.
- Compatible with airless line strippers, and can easily be applied with a brush or roller.
- Delivers long-lasting performance.

DURABILITY IS KEY

PROFESSIONAL COATINGS PRIMERS

The key features for evaluating primers include stain-blocking, adhesion, dry time, and smooth application.

Promar® 200 0VOC Primer



- Premium, commercial zero VOC wall primer.
- Great for interior use on walls and ceilings.
- Provides excellent hide and can be used under flats and enamels.

Promar® 400 0VOC Primer



- Commercial primer that provides good value.
- Can be used under flats and enamels.
- Zero VOC.

Quali-Kote® Primer



- Covers a wide range of irregularities found in new construction interiors.
- Ideal for minor drywall damage – filling scratches, sanding grooves, nicks and pinholes.
- Improves topcoat performance and produces a uniform, ready-to-finish wall surface.

High Build Primer



- Covers a wide range of irregularities found in new construction interiors.
- Ideal for minor drywall damage – filling scratches, sanding grooves, nicks and pinholes.
- Improves topcoat performance and produces a uniform, ready-to-finish wall surface.

PRO Industrial PRO-Cryl® Universal Primer



- Single-component, rust-inhibitive primer for steel, aluminum, and galvanized.
- Recommended when a corrosion-resistant primer is required.
- Alternative to conventional solvent-based primers.
- Accepts all topcoats – including hot-solvent urethanes and epoxies.
- Early moisture resistant.

Cover-Max® Primer



- Cover-Max is a good quality primer.
- An economical, interior, latex primer for use on drywall, wood, cured masonry, plaster, concrete, brick and filled block.
- Good coverage and hiding for use in all commercial and new residential projects.

Quick Dry Stain Blocking Primer



- Multi-purpose commercial primer - now for both interior and exterior.
- Dries in just one hour, so rooms can be topcoated soon after priming.
- Good stain-blocking properties.
- Prime and seal new and previously painted drywall, wood and plaster.
- Meets stringent VOC regulations.

DURABILITY IS KEY

PROFESSIONAL COATINGS PRIMERS

The key features for evaluating primers include stain-blocking, adhesion, dry time, and smooth application.

PVA Drywall Primer & Sealer



- Perfect for priming new residential bare drywall and wood trim.
- Sands easily to a smooth surface – saving time and yielding a professional finish.
- Quick dry time allows for recoat in one hour ensuring fast production.

Preprime® Pro Block Waterbased



- Assures a uniform topcoat appearance.
- Blocks stains.
- Improved long-term adhesion and performance.
- Versatile with low temperature application down to 2° (35F).

Moisture Vapour Barrier



- Designed to reduce the loss of moisture through walls and ceilings.
- Combines a primer and finish in one single fast drying coat.
- Is specially formulated for manufactured housing facilities.

DURABILITY IS KEY

PROFESSIONAL COATINGS CONCRETE CARE

Choosing the right product for the job is key for all concrete projects. Key features to consider are durability, water-proofing, elastomeric properties, and weather resistance



Loxon XP® Masonry Coating



- Ultimate protection for masonry.
- Exceptional flexibility, durability and fade resistance.
- Protects against wind-driven rain, alkali, cracking and efflorescence.
- High build for one less coat compared to conventional masonry coatings.

Loxon® Exterior Acrylic Coating



- Highly alkali and efflorescence resistant.
- Provides a highly durable and weatherresistant finish.
- The topcoat contains agents that inhibits growth of mildew on coating surface.
- For concrete, cement composition panels, concrete block, brick, and stucco.

H&C Hydro-Defend®



- Interior and exterior use.
- Protects against water damage.
- Guards against repeated freeze-thaw cycles and damage from deicing salts.
- One coat is sufficient in most cases but a second coat may be applied in 2-4 hours.
- It is not recommended for vehicular traffic.

Conflex XL® High Build Coating



- Bridges hairline cracks and keeps water out, even in wind-driven rain.
- Provides high film build and easy application with excellent efflorescence resistance.
- Available in smooth and textured finishes with a wide range of custom colors.

Sherlastic® Elastomeric Coating



- Prevents water damage on interior surfaces.
- Covers & hides hairline cracks, elongates.
- Easy to apply.
- Resists efflorescence.
- Wide range of colors, tintable.



DURABILITY IS KEY

PROFESSIONAL COATINGS HIGH PERFORMANCE

Choose the right products for the toughest jobs. Evaluate chemical resistance, corrosion resistance, coverage, dry time, application method, weather resistance, durability, and washability

PRO Industrial Waterbased Catalyzed Epoxy



- Exceptional corrosion resistance direct-to-metal.
- Flows and levels to a smooth finish.
- High-performance advanced technology.
- Meets the most stringent VOC regulations

PRO Industrial Water Based Acrolon® 100 Polyurethane



- Chemical resistant.
- Can be applied directly to water based and solvent based organic zinc rich primers.

PRO Industrial Pre Catalysed Water Based Epoxy



- Enhanced performance, single component convenience.
- Resistant to most commercial cleaners.
- Excellent stain blocking properties.
- Flows and levels to a smooth finish.
- Effortless application by brush, roll or spray.

PRO Industrial Acrylic



- Exceptional stain resistance.
- Exceptional exterior color and gloss retention.
- Flows and levels to a smooth finish.
- Meets the most stringent VOC regulations.

PRO Industrial DTM Acrylic



- Excellent corrosion and flash rust resistance.
- Excellent weathering properties.
- Excellent moisture resistance.
- Excellent corrosion resistance.
- Meets the most stringent VOC regulations.

PRO Industrial Multi-Surface Acrylic



- Excellent one-coat hide and stain blocking.
- Excellent adhesion to slick and glossy surfaces.
- Self-priming directly to multiple surfaces.
- Good exterior colour and gloss retention.
- Dries fast with dry fall properties.

PRO Industrial High Performance Epoxy



- Chemical resistant.
- Abrasion resistant.
- Multiple substrates.
- One-coat, high-film build.
- Pre-measured and easy to mix.



DURABILITY IS KEY

PROFESSIONAL COATINGS HIGH PERFORMANCE

Choose the right products for the toughest jobs. Evaluate chemical resistance, corrosion resistance, coverage, dry time, application method, weather resistance, durability, and washability

PRO Industrial Water Based Alkyd Urethane



- Excellent washability.
- Excellent flow & leveling.
- Excellent touch up.
- Easy application & cleanup.
- Resistant to yellowing.

PRO Industrial Waterbourne Acrylic Dryfall



- Ideal for exposed ceilings and overhead surfaces in commercial, warehouse and manufacturing facilities.
- Excellent hide covers most surfaces and colours in one single coat - saving on material costs and time.
- Retains whiteness and light reflectance properties.