

**Overview**

## Pool Deck



### ConFlex™ Flexible Concrete Waterproofer

A slip-resistant, breathable finish designed to protect from water intrusion. This single component waterbased formula has fast dry times and outstanding durability, and can be tinted to hundreds of colors. Use as a stand-alone product or topcoat with a clear sealer to provide maximum performance.

Bedroom/  
Staircase

Bathroom

Exterior Substrates /  
Surfaces

Office / Bonus Room

Garage

Great / Family Room

Porch and Floor

Kitchen

Concrete / Driveway

Exterior Substrates /  
Surfaces

Overview

## Porch

### Porch & Floor Enamel

Our enhanced formula delivers excellent block resistance and resistance to dirt, plus a wide selection of colors for wood and concrete floors. A popular choice for residential projects, Porch & Floor Enamel provides great washability and offers low slip resistance: passes wet and dry with and without slip resistant additive.

Swimming Pool

Exterior Substrates / Surfaces

Office / Bonus Room

Garage


Great / Family Room

Kitchen

Concrete / Driveway

Exterior Substrates / Surfaces

Overview



### Concrete / Driveway

**Loxon® Clear 40% Silane Water Repellant**  
Defends masonry and concrete against chloride attack and wind-driven rain. It penetrates the surface for maximum protection. With minimal prep and cleanup, Loxon delivers a transparent, no-sheen finish for a natural, uncoated look.

**Overview**

# Bedroom/Staircase



## Ceiling

---

### **Eminence® High Performance Ceiling Paint**

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists spattering and dries quickly to a bright white finish. Contains anti-microbial agents which inhibit the growth of mold and mildew on the surface of this coating's film.

Has achieved GREENGUARD® GOLD Certification.\*

## Walls

---

### **Emerald® Interior Acrylic Latex**

Delivers truly remarkable hide, washability and application. Emerald also features excellent stain, block, water spotting and burnish resistance for premium performance and luxurious, long-lasting beauty. Has achieved GREENGUARD® GOLD Certification.\*

### **Duration Home® Interior Acrylic Latex**

Features exclusive cross-linking technology for true washability and allows most stains to wipe away easily with water. Offers excellent hide and touch-up and contains anti-microbial agents which inhibit the growth of mold and mildew on the surface of this coating™ film. Available in all colors including bold, vivid accents. Also features Moisture Resistant Technology offering quick return to service and durability in moist environments like bathrooms.

### **Cashmere® Interior Acrylic Latex**

Many paints typically leave brush or roller marks, creating an uneven, stippled appearance. But Cashmere Interior Latex glides on buttery smooth and levels out, giving walls an elegant, silky rich look. The result is a difference you can definitely see and feel.

### **Harmony® Zero VOC Interior Acrylic Latex**

Contains anti-microbial agents which inhibit the growth of mold and mildew on the paint surface. Formaldehyde Reducing † helps promote better indoor air quality by reducing VOCs from possible sources like insulation, carpet, cabinets and fabrics. Has achieved GREENGUARD® GOLD Certification.\*

## Doors & Trim

---

### **Emerald® Urethane Trim Enamel**

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### **ProClassic® Enamels**

Exceptional adhesion, excellent flow and leveling, non-yellowing and a unique wet and dry hide make ProClassic an excellent choice for doors and trim, cabinets and furniture. Features all the benefits of waterbased enamels without sacrificing adhesion, durability and block resistance.

### **SnapDry™ Door & Trim Paint**

SnapDry dries in as little as one hour of application and a door can be closed without sticking. SnapDry is resistant to dirt and fingerprints, UV and weathering, and can be used in both interior and exterior applications.


## Wood Handrails

---

### **Minwax® Stains and Sealers**

From warm, rich wood stains to protective, clear finishes, Minwax offers a complete line of quality, easy-to-use wood finishing products.

**Overview**



## Ceiling

### **Eminence® High Performance Ceiling Paint**

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists spattering and dries quickly to a bright white finish. Contains anti-microbial agents which inhibit the growth of mold and mildew on the surface of this coating's film.

Has achieved GREENGUARD® GOLD Certification.\*

### **Emerald® Interior Acrylic Latex**

Delivers truly remarkable hide, washability and application. Emerald also features excellent stain, block, water spotting and burnish resistance for premium performance and luxurious, long-lasting beauty.

Has achieved GREENGUARD® GOLD Certification.\*

## Walls

### **Emerald® Interior Acrylic Latex**

Delivers truly remarkable hide, washability and application. Emerald also features excellent stain, block, water spotting and burnish resistance for premium performance and luxurious, long-lasting beauty.

Has achieved GREENGUARD® GOLD Certification.\*

### **Duration Home® Interior Acrylic Latex**

Features exclusive cross-linking technology for true washability and allows most stains to wipe away easily with water. Offers excellent hide and touch-up and contains anti-microbial agents which inhibit the growth of mold and mildew on the surface of this coating's film. Available in all colors including bold, vivid accents. Also features Moisture Resistant Technology offering quick return to service and durability in moist environments like bathrooms.

### **Harmony® Zero VOC Interior Acrylic Latex**

Contains anti-microbial agents which inhibit the growth of mold and mildew on the paint surface. Formaldehyde Reducing Technology† helps promote better indoor air quality by reducing VOCs from possible sources like insulation, carpet, cabinets and fabrics.

Has achieved GREENGUARD® GOLD Certification.\*

## Wood Handrails

### **Emerald® Urethane Trim Enamel**

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### **Minwax® Stains and Sealers**

From warm, rich wood stains to protective, clear finishes, Minwax offers a complete line of quality, easy-to-use wood finishing products.

### **ProClassic® Enamels**

Exceptional adhesion, excellent flow and leveling, non-yellowing and a unique wet and dry hide make ProClassic an excellent choice for doors and trim, cabinets and furniture. Features all the benefits of waterbased enamels without sacrificing adhesion, durability and block resistance.

## Doors & Trim

### **Emerald® Urethane Trim Enamel**

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### **ProClassic® Enamels**


Exceptional adhesion, excellent flow and leveling, non-yellowing and a unique wet and dry hide make ProClassic an excellent choice for doors and trim, cabinets and furniture. Features all the benefits of waterbased enamels without sacrificing adhesion, durability and block resistance.

### **SnapDry™ Door & Trim Paint**

SnapDry dries in as little as one hour of application and a door can be closed without sticking. SnapDry is resistant to dirt and fingerprints, UV and weathering, and can be used in both interior and exterior applications.

**Overview**

# Bathroom



## Ceiling

### **Eminence® High Performance Ceiling Paint**

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists spattering and dries quickly to a bright white finish. Contains anti-microbial agents which inhibit the growth of mold and mildew on the surface of this coating's film.

Has achieved GREENGUARD® GOLD Certification.\*

### **Emerald® Interior Acrylic Latex**

Delivers truly remarkable hide, washability and application. Emerald also features excellent stain, block, water spotting and burnish resistance for premium performance and luxurious, long-lasting beauty.

Has achieved GREENGUARD® GOLD Certification.\*

## Doors & Trim

### **Emerald® Urethane Trim Enamel**

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### **ProClassic® Enamels**

Exceptional adhesion, excellent flow and leveling, non-yellowing and a unique wet and dry hide make ProClassic an excellent choice for doors and trim, cabinets and furniture. Features all the benefits of waterbased enamels without sacrificing adhesion, durability and block resistance.

### **SnapDry™ Door & Trim Paint**

SnapDry dries in as little as one hour of application and a door can be closed without sticking. SnapDry is resistant to dirt and fingerprints, UV and weathering, and can be used in both interior and exterior applications.

## Walls

### **Emerald® Interior Acrylic Latex**

Delivers truly remarkable hide, washability and application. Emerald also features excellent stain, block, water spotting and burnish resistance for premium performance and luxurious, long-lasting beauty.

Has achieved GREENGUARD® GOLD Certification.\*

### **Duration Home® Interior Acrylic Latex**

Features exclusive cross-linking technology for true washability and allows most stains to wipe away easily with water. Offers excellent hide and touch-up and contains anti-microbial agents which inhibit the growth of mold and mildew on the surface of this coating™ film. Available in all colors including bold, vivid accents. Also features Moisture Resistant Technology offering quick return to service and durability in moist environments like bathrooms.

### **Harmony® Zero VOC Interior Acrylic Latex**

Contains anti-microbial agents which inhibit the growth of mold and mildew on the paint surface. Formaldehyde Reducing † helps promote better indoor air quality by reducing VOCs from possible sources like insulation, carpet, cabinets and fabrics.

Has achieved GREENGUARD® GOLD Certification.\*

**Overview**

# Office/Bonus Room



## Ceiling

### **Emerald® Interior Acrylic Latex**

Delivers truly remarkable hide, washability and application. Emerald also features excellent stain, block, water spotting and burnish resistance for premium performance and luxurious, long-lasting beauty. Has achieved GREENGUARD® GOLD Certification.\*

## Doors & Trim

### **Emerald® Urethane Trim Enamel**

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### **ProClassic® Enamels**

Exceptional adhesion, excellent flow and leveling, non-yellowing and a unique wet and dry hide make ProClassic an excellent choice for doors and trim, cabinets and furniture. Features all the benefits of waterbased enamels without sacrificing adhesion, durability and block resistance.

### **SnapDry™ Door & Trim Paint**

SnapDry dries in as little as one hour of application and a door can be closed without sticking. SnapDry is resistant to dirt and fingerprints, UV and weathering, and can be used in both interior and exterior applications.

## Walls

### **Emerald® Interior Acrylic Latex**

Delivers truly remarkable hide, washability and application. Emerald also features excellent stain, block, water spotting and burnish resistance for premium performance and luxurious, long-lasting beauty. Has achieved GREENGUARD® GOLD Certification.\*

### **Cashmere® Interior Acrylic Latex**

Many paints typically leave brush or roller marks, creating an uneven, stippled appearance. But Cashmere Interior Latex glides on buttery smooth and levels out, giving walls an elegant, silky rich look. The result is a difference you can definitely see and feel.

### **Harmony® Zero VOC Interior Acrylic Latex**

Contains anti-microbial agents which inhibit the growth of mold and mildew on the paint surface. Formaldehyde Reducing † helps promote better indoor air quality by reducing VOCs from possible sources like insulation, carpet, cabinets and fabrics. Has achieved GREENGUARD® GOLD Certification.\*

**Overview**

# Great/Family Room



## Ceiling

### **Eminence® High Performance Ceiling Paint**

Masks minor surface imperfections quickly and achieves outstanding uniformity immediately. It resists spattering and dries quickly to a bright white finish. Contains anti-microbial agents which inhibit the growth of mold and mildew on the surface of this coating's film.

Has achieved GREENGUARD® GOLD Certification.\*

## Doors & Trim

### **Emerald® Urethane Trim Enamel**

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### **ProClassic® Enamels**

Exceptional adhesion, excellent flow and leveling, non-yellowing and a unique wet and dry hide make ProClassic an excellent choice for doors and trim, cabinets and furniture. Features all the benefits of waterbased enamels without sacrificing adhesion, durability and block resistance.

### **SnapDry™ Door & Trim Paint**

SnapDry dries in as little as one hour of application and a door can be closed without sticking. SnapDry is resistant to dirt and fingerprints, UV and weathering, and can be used in both interior and exterior applications.

## Floor

### **Minwax® Stains and Sealers**

From warm, rich wood stains to protective, clear finishes, Minwax offers a complete line of quality, easy-to-use wood finishing products.

## Walls

### **Emerald® Interior Acrylic Latex**

Delivers truly remarkable hide, washability and application. Emerald also features excellent stain, block, water spotting and burnish resistance for premium performance and luxurious, long-lasting beauty. Has achieved GREENGUARD® GOLD Certification.\*

### **Duration Home® Interior Acrylic Latex**

Features exclusive cross-linking technology for true washability and allows most stains to wipe away easily with water. Offers excellent hide and touch-up and contains anti-microbial agents which inhibit the growth of mold and mildew on the surface of this coating™ film. Available in all colors including bold, vivid accents. Also features Moisture Resistant Technology offering quick return to service and durability in moist environments like bathrooms.

### **Cashmere® Interior Acrylic Latex**

Many paints typically leave brush or roller marks, creating an uneven, stippled appearance. But Cashmere Interior Latex glides on buttery smooth and levels out, giving walls an elegant, silky rich look. The result is a difference you can definitely see and feel.

### **Harmony® Zero VOC Interior Acrylic Latex**

Contains anti-microbial agents which inhibit the growth of mold and mildew on the paint surface. Formaldehyde Reducing † helps promote better indoor air quality by reducing VOCs from possible sources like insulation, carpet, cabinets and fabrics. Has achieved GREENGUARD® GOLD Certification.\*

**Overview**

# Exterior Substrates/Surfaces



## Exterior Wall

### **Emerald® Exterior Acrylic Latex**

Featuring rugged resistance to blistering, peeling, chalking, fading and dirt pickup, Emerald is self-priming and can be applied in temperatures down to 35°F (2°C). Emerald delivers innovative durability, hide and beauty for a truly outstanding finish.

### **Duration® Exterior Acrylic Coating**

Formulated with PermaLast® technology and infused with advanced acrylic co-polymers for long-lasting performance. It is both self-priming and provides a mildew-resistant coating.

### **Resilience® Acrylic Exterior Latex**

Offers outstanding hide and durability plus ease of application. With exclusive MoistureGuard technology, it resists moisture twice as fast as standard exterior latex coatings.

### **Rejuvenate Siding Restoration Coating**

An exterior paint and primer in one designed to maximize adhesion. This high build coating with SmoothFill Technology gives aged and weathered siding a smooth, uniform appearance. Tintable to pastel and mid-tone shades, the beautiful low sheen provides a sleek, attractive finish.

### **Loxon® Concrete and Masonry Solutions**

From conditioner to surfacer to primer and topcoats, Loxon coatings are formulated to withstand extreme sun, rain, heat, humidity and alkali surfaces. Loxon coatings resist high pH, alkalinity, efflorescence, chalking and mildew for beautiful color and sheen that lasts. In addition, Loxon clear water repellents and sealers protect concrete and masonry from water penetration.

## Metal Fencing & Doors

### **Pro Industrial Acrylic Coating**

An easy-to-apply, fast-drying, high-performance acrylic with exceptional stain and flash rust/early rust resistance.

Has achieved GREENGUARD® GOLD Certification.\*

### **Pro Industrial Urethane Alkyd Enamel**

A general-purpose enamel fortified with urethane resin for durability and flexibility. It provides good exterior color and gloss retention and flows and levels to a smooth finish. It has excellent stain resistance and stain blocking properties.

## Shutters & Trim

### **Emerald® Urethane Trim Enamel**

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### **SnapDry™ Door & Trim Paint**

SnapDry dries in as little as one hour of application and a door can be closed without sticking. SnapDry is resistant to dirt and fingerprints, UV and weathering, and can be used in both interior and exterior applications.

### **Emerald® Exterior Acrylic Latex**

Featuring rugged resistance to blistering, peeling, chalking, fading and dirt pickup, Emerald is self-priming and can be applied in temperatures down to 35°F (2°C). Emerald delivers innovative durability, hide and beauty for a truly outstanding finish.

### **Duration® Exterior Acrylic Coating**

Formulated with PermaLast® technology and infused with advanced acrylic co-polymers for long-lasting performance. It is both self-priming and provides a mildew-resistant coating.

### **Resilience® Acrylic Exterior Latex**

Offers outstanding hide and durability plus ease of application. With exclusive MoistureGuard technology, it resists moisture twice as fast as standard exterior latex coatings.

**Overview**

# Exterior Substrates/Surfaces



## Doors & Brick Wall

---

### **Emerald® Urethane Trim Enamel**

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### **SnapDry Door & Trim Paint**

SnapDry dries in as little as one hour of application and a door can be closed without sticking. SnapDry is resistant to dirt and fingerprints, UV and weathering, and can be used in both interior and exterior applications.

### **Pro Industrial Urethane Alkyd Enamel**

A general-purpose enamel fortified with urethane resin for durability and flexibility. It provides good exterior color and gloss retention and flows and levels to a smooth finish. It has excellent stain resistance and stain blocking properties.

### **Emerald® Exterior Acrylic Latex**

Featuring rugged resistance to blistering, peeling, chalking, fading and dirt pickup, Emerald is self-priming and can be applied in temperatures down to 35°F (2°C). Emerald delivers innovative durability, hide and beauty for a truly outstanding finish.

### **Duration® Exterior Acrylic Coating**

Formulated with PermaLast® technology and infused with advanced acrylic co-polymers for long-lasting performance. It is both self-priming and provides a mildew-resistant coating.

### **Loxon® Concrete and Masonry Solutions**

From conditioner to surfacer to primer and topcoats, Loxon coatings are formulated to withstand extreme sun, rain, heat, humidity and alkali surfaces. Loxon coatings resist high pH, alkalinity, efflorescence, chalking and mildew for beautiful color and sheen that lasts. In addition, Loxon clear water repellents and sealers protect concrete and masonry from water penetration.

## Siding

---

### **Emerald® Exterior Acrylic Latex**

Featuring rugged resistance to blistering, peeling, chalking, fading and dirt pickup, Emerald is self-priming and can be applied in temperatures down to 35°F (2°C). Emerald delivers innovative durability, hide and beauty for a truly outstanding finish.

### **Duration® Exterior Acrylic Coating**

Formulated with PermaLast® technology and infused with advanced acrylic co-polymers for long-lasting performance. It is both self-priming and provides a mildew-resistant coating.

### **Resilience® Acrylic Exterior Latex**

Offers outstanding hide and durability plus ease of application. With exclusive MoistureGuard technology, it resists moisture twice as fast as standard exterior latex coatings.

### **Rejuvenate™ Siding Restoration Coating**

An exterior paint and primer in one designed to maximize adhesion. This high build coating with SmoothFill Technology gives aged and weathered siding a smooth, uniform appearance. Tintable to pastel and mid-tone shades, the beautiful low sheen provides a sleek, attractive finish.

### **WoodScapes® Exterior Stains**

The thick formula ensures a uniform finish with no lap marks, great coverage and faster application. Self-priming with easy water cleanup, the Acrylic Solid Color carries an 8-year warranty and the Polyurethane Semi-Transparent carries a 5-year warranty.

## Wood Porch Deck

---

### **SuperDeck® Deck Finishing System**

Our most complete premium line for finishing wood decks. From surface prep to cleaner, restoration to waterproofing, clears to semi-transparent and solid color stains, oil-based to waterborne – the job can get done fast with lasting results.

## Shutters

---

### **Emerald® Urethane Trim Enamel**

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### **SnapDry Door & Trim Paint**

SnapDry dries in as little as one hour of application and a door can be closed without sticking. SnapDry is resistant to dirt and fingerprints, UV and weathering, and can be used in both interior and exterior applications.

### **Emerald® Exterior Acrylic Latex**

Featuring rugged resistance to blistering, peeling, chalking, fading and dirt pickup, Emerald is self-priming and can be applied in temperatures down to 35°F (2°C). Emerald delivers innovative durability, hide and beauty for a truly outstanding finish.

### **Duration® Exterior Acrylic Coating**


Formulated with PermaLast® technology and infused with advanced acrylic co-polymers for long-lasting performance. It is both self-priming and provides a mildew-resistant coating.

### **Resilience® Acrylic Exterior Latex**

Offers outstanding hide and durability plus ease of application. With exclusive MoistureGuard technology, it resists moisture twice as fast as standard exterior latex coatings.

**Overview**

# Garage



## Ceiling

### Pro Industrial™ Acrylic Coating

An easy-to-apply, fast-drying, high-performance acrylic with exceptional stain and flash rust/early rust resistance.

Has achieved GREENGUARD® GOLD Certification.\*

### Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations with <50 g/L VOC.

Has achieved GREENGUARD® GOLD Certification.\*

## Walls

### Pro Industrial™ Acrylic Coating

An easy-to-apply, fast-drying, high-performance acrylic with exceptional stain and flash rust/early rust resistance.

Has achieved GREENGUARD® GOLD Certification.\*

### Pro Industrial™ Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations with <50 g/L VOC.

Has achieved GREENGUARD® GOLD Certification.\*

## Floors

### ArmorSeal® 1000 HS Epoxy

A high-solids, interior, heavy-duty, two component, catalyzed, polyamide epoxy coating formulated for demanding requirements. It dries rapidly to a tough, high-gloss finish with excellent resistance to alkalis, abrasion, corrosion and chemical attack.

## Doors & Trim

### Emerald® Urethane Trim Enamel

Delivers the smooth, uniform finish of an oil-based enamel with the convenience of a waterbased formula. Versatile to interior or exterior applications, it resists yellowing, maintaining its brilliant color and sheen.

### SnapDry™ Door & Trim Paint

SnapDry dries in as little as one hour of application and a door can be closed without sticking. SnapDry is resistant to dirt and fingerprints, UV and weathering, and can be used in both interior and exterior applications.

### Pro Industrial Pre-Catalyzed Water Based Epoxy

Offers advanced toughness and durability in a single-component coating. It is resistant to most commercial cleaners, has excellent stain blocking properties and meets the most stringent VOC regulations with <50 g/L VOC.

Has achieved GREENGUARD® GOLD Certification.\*

### Pro Industrial™ Urethane Alkyd Enamel

A general-purpose enamel fortified with urethane resin for durability and flexibility. It provides good exterior color and gloss retention and flows and levels to a smooth finish. It has excellent stain resistance and stain blocking properties.

[Overview](#)

## Bedroom/Staircase

### Ceiling

- **Eminence® High Performance Ceiling Paint**

### Walls

- **Emerald® Interior Acrylic Latex**
- **Duration Home® Interior Acrylic Latex**
- **Cashmere® Interior Acrylic Latex**
- **Harmony® Zero VOC Interior Acrylic Latex**

### Doors and Trim

- **Emerald® Urethane Trim Enamel**
- **ProClassic® Enamels**
- **SnapDry™ Door & Trim Paint**

### Wood Handrails

- **Minwax® Stains and Sealers**

## Kitchen

### Ceiling

- **Eminence® High Performance Ceiling Paint**
- **Emerald® Interior Acrylic Latex**

### Walls

- **Emerald® Interior Acrylic Latex**
- **Duration Home® Interior Acrylic Latex**
- **Harmony® Zero VOC Interior Acrylic Latex**

### Doors and Trim

- **Emerald® Urethane Trim Enamel**
- **ProClassic® Enamels**
- **SnapDry™ Door & Trim Paint**

### Wood Handrails

- **Emerald® Urethane Trim Enamel**
- **Minwax® Stains and Sealers**
- **ProClassic® Enamels**

## Bathroom

### Ceiling

- **Eminence® High Performance Ceiling Paint**
- **Emerald® Interior Acrylic Latex**

### Walls

- **Emerald® Interior Acrylic Latex**
- **Duration Home® Interior Acrylic Latex**
- **Harmony® Zero VOC Interior Acrylic Latex**

### Doors and Trim

- **Emerald® Urethane Trim Enamel**
- **ProClassic® Enamels**
- **SnapDry™ Door & Trim Paint**

## Office/Bonus Room

### Ceiling

- **Emerald® Interior Acrylic Latex**

### Walls

- **Emerald® Interior Acrylic Latex**
- **Cashmere® Interior Acrylic Latex**
- **Harmony® Zero VOC Interior Acrylic Latex**

### Doors and Trim

- **Emerald® Urethane Trim Enamel**
- **ProClassic® Enamels**
- **SnapDry™ Door & Trim Paint**

## Swimming Pool

### Pool Deck

- **ConFlex™ Flexible Concrete Waterproofer**

## Great/Family Room

### Ceiling

- **Eminence® High Performance Ceiling Paint**

### Walls

- **Emerald® Interior Acrylic Latex**
- **Duration Home® Interior Acrylic Latex**
- **Cashmere® Interior Acrylic Latex**
- **Harmony® Zero VOC Interior Acrylic Latex**

### Floor

- **Minwax® Stains and Sealers**

### Doors and Trim

- **Emerald® Urethane Trim Enamel**
- **ProClassic® Enamels**
- **SnapDry™ Door & Trim Paint**

## Exterior Substrates/Surfaces

### Doors & Brick Wall

- **Emerald® Urethane Trim Enamel**
- **SnapDry™ Door & Trim Paint**
- **Pro Industrial™ Urethane Alkyd Enamel**
- **Emerald® Exterior Acrylic Latex**
- **Duration® Exterior Acrylic Coating**
- **Loxon® Concrete and Masonry Solutions**

### Siding

- **Emerald® Exterior Acrylic Latex**
- **Duration® Exterior Acrylic Coating**
- **Resilience® Acrylic Exterior Latex**
- **Rejuvenate™ Siding Restoration Coating**
- **WoodScapes® Exterior Stains**

### Shutters

- **Emerald® Urethane Trim Enamel**
- **SnapDry™ Door & Trim Paint**
- **Emerald® Exterior Acrylic Latex**
- **Duration® Exterior Acrylic Coating**
- **Resilience® Acrylic Exterior Latex**

### Wood Porch Deck

- **SuperDeck® Deck Finishing System**

## Exterior Substrates/Surfaces

### Exterior Wall

- **Emerald® Exterior Acrylic Latex**
- **Duration® Exterior Acrylic Coating**
- **Resilience® Acrylic Exterior Latex**
- **Rejuvenate™ Siding Restoration Coating**
- **Loxon® Concrete and Masonry Solutions**

### Shutters and Trim

- **Emerald® Urethane Trim Enamel**
- **SnapDry™ Door & Trim Paint**
- **Emerald® Exterior Acrylic Latex**
- **Duration® Exterior Acrylic Coating**
- **Resilience® Acrylic Exterior Latex**

### Metal Fencing and Doors

- **Pro Industrial™ Acrylic Coating**
- **Pro Industrial™ Urethane Alkyd Enamel**

## Garage

### Ceiling

- **Pro Industrial™ Acrylic Coating**
- **Pro Industrial™ Pre-Catalyzed Water Based Epoxy**

### Walls

- **Pro Industrial™ Acrylic Coating**
- **Pro Industrial™ Pre-Catalyzed Water Based Epoxy**

### Floors

- **ArmorSeal® 1000 HS Epoxy**

### Doors and Trim

- **Emerald® Urethane Trim Enamel**
- **SnapDry™ Door & Trim Paint**
- **Pro Industrial™ Pre-Catalyzed Water Based Epoxy**
- **Pro Industrial™ Urethane Alkyd Enamel**

## Porch

### Porch / Floor

- **Porch & Floor Enamel**

## Order for

## Comments

## Concrete / Driveway

### Concrete / Driveway

- **Loxon® Clear 40% Silane Water Repellant**

[Back to Brochure](#)